


# Pneumatic Proven Powerful



The **Pneumatic** tools:

- Ergonomic design
- Semi and fully automatic operation
- High savings potential
- For small to heavy duty applications

**FROMM** | STRAPPING  
SOLUTIONS

Further information: [www.fromm-pack.com](http://www.fromm-pack.com)

Pneumatic tools for **all kinds of strapping**, with plastic straps

**P357 | P358 | P359 | P380**

# The Pneumatic P series *by FROMM*

## Durable design and robust quality



### **P357**

**For standard work,  
with consistent seal efficiency**

**Operating modes:** semi- and fully-automatic

**Strap qualities:** PP and PET

**Strap dimensions:** 12.7 – 16.0 mm x 0.40 – 1.05 mm

**Tension force:** 600 – 1,300 N  
1,200 – 2,500 N

**Tension speed:** 104 or 165 mm/s

**Weight:** 5.7 kg



### **P358**

**For Heavy Duty applications,  
with consistent seal efficiency**

**Operating modes:** semi- and fully-automatic

**Strap qualities:** PET

**Strap dimensions:** 16.0 – 19.0 mm x 0.65 – 1.35 mm

**Tension force:** 1,000 – 2,300 N  
1,900 – 4,000 N

**Tension speed:** 70 or 115 mm/s

**Weight:** 5.7 kg



### **P359**

**For Xtra-HD applications,  
with consistent seal efficiency**

**Operating modes:** semi- and fully-automatic

**Strap qualities:** PET

**Strap dimensions:** 19.0 – 32.0 mm x 0.60 – 1.53 mm

**Tension force:** 2,000 – 3,500 N  
4,000 – 7,000 N

**Tension speed:** 60 or 120 mm/s

**Weight:** 8.2 kg



### **P380**

**For round and small surfaces,  
with consistent seal efficiency**

**Operating mode:** only manual

**Strap qualities:** PP and PET

**Strap dimensions:** 13.0 – 19.0 mm x 0.40 – 1.35 mm

**Tension force:** 600 – 2,000 N

**Tension speed:** 120 – 260 mm/s

**Weight:** 6.8 kg



### Technical specifications

For detailed technical information, please refer to our separate data sheets or contact our sales department, who will be pleased to provide you with information: [www.fromm-pack.com/contact](http://www.fromm-pack.com/contact)

**Very  
reliable with  
extremely low  
maintenance  
costs!**

# At a glance

**For demanding applications,  
with a high constant seal efficiency**

## 2-IN-1

Semi and fully-  
automatic operation

## SEALLESS FRICTION WELDING

Tension force (N)

**600 –  
7,000**

Strap widths (mm)

**12.7 –  
32.0**

### PACKAGES

- ✓ Flat
- ✓ Round
- ✓ Narrow
- ✓ Irregular





## The right tool for every application!

These highly reliable and durable FROMM tools, can be used across all sectors in all common application areas and industries. The exceptional reliability of the equip-

ment provides a long operational readiness, with the longevity designed wear parts, for the lowest possible maintenance costs.

## Service *by* FROMM



### Think global, act local

We are close to you! Our more than 40 FROMM offices and a large number of specialized long term sales partners worldwide ensure professional advice, qualified customer service, reliable spare parts supplies and maintenance, with quick response times.

**FROMM** | STRAPPING  
SOLUTIONS

Further information: [www.frommpackaging.ca](http://www.frommpackaging.ca)

Distributor

art. nr. 18.9650

Subject to changes



# Smart Strong Safe



## The Smart **S-series**:

- With extensively tested Colour Touchscreen. Clearly visible to the operator at all times
- Variable settings with pre-set functions and PIN locking mode
- Integrated strap database
- No more mechanical buttons

**FROMM** | STRAPPING  
SOLUTIONS

Further information: [www.fromm-pack.com](http://www.fromm-pack.com)

Digitalised, battery powered  
tools for **Plastic Strapping**

P328 **S** | P329 **S**



# The Innovation

## The New 3-in-1 Tool *by FROMM*

The **S**-series Strapping Tools are equipped with a heavy duty, easy-to-use Colour Touchscreen, enabling simple programming and operation. The screen is ergonomically located in the field of vision of the operator, with clear readable and user friendly icons.

**Easy to  
operate with  
factory gloves  
of all kinds!**



**[1] Classic mode**

- The traditional FROMM design with virtual buttons



**[2] Advanced mode**

- Variable tensioning speed with all information at a glance



**[3] Tension force and Welding time**

- Simple adjustment of the values. Incl. a recommendation for the FROMM strap used



**[4] Settings menu**

- All settings at a glance. Including PIN locking mode



**[5] Strap database**

- Recommended settings for FROMM standard straps
- 10 memory slots for customer defined tool settings



**[6] Locking of the Tool settings**

- Easy locking of the settings with a PIN code



# The smart S-series *by FROMM*

## Proven quality and reliability

### Multifunctional 3-in-1 Strapping tool

With the unique 3-in-1 tools of the new **S-series** you can select manual, semi-automatic or automatic operation, simply by selecting the desired mode on the display. There is no need for another (extra) tool.

### Extended / Long tool life

The mechanical buttons have been replaced by a heavy duty Colour Touchscreen, which will continue to perform even under the most severe conditions, with high levels of (abrasive) dust and grease. Due to its slanted positioning, with the downwardly directed flat outlet, accumulation and penetration of dust and water in this part of the device, is prevented.

### Constant and reliable performance

The teach-in mode makes it possible to set the correct tension force with the swipe of a finger. With its simple one-hand operation, you can strap a large number of products consistently, whether in series or variable individual packages.

### Challenging test series: Quality pays off

To meet and exceed today's demanding customer requirements and the renowned FROMM quality, the **S-series** has passed several rigorous quality and endurance tests.

# At a glance

Smart Solutions in every sense

## 3-IN-1

Automatic, Semi-Automatic and Manual operation  
at the touch of a finger

Optimal seal efficiency  
by means of

## 2

strap guides

## 24

Months factory warranty

Consistent results with

## PIN

code locking capability

Pre-set strap types with

## 10

free programmable profiles

## NO

Mechanical buttons,  
no mechanical wear

Touchscreen in sight  
of the operator.

## 1

thumb can do the  
setting & strap cycle

Highly resistant to scratches and external impact.  
Keeps performing, even under the most severe,  
abrasive and greasy circumstances.  
It surpassed durability tests of over

## 300.000

cycles, under various arduous conditions  
and temperatures. Aspects that certainly contribute  
to a long-term and problem-free operation.



# 30 good reasons

## Smart, Strong, Safe – The S-series

### Smart because of:

1. Wireless programming Option.
2. Software with all actual standard tool and strap information.
3. Tool cycle and service status monitoring software.
4. Select your strap, from the strap database or store the strap you want to use.
5. Flexible data selection. Easily select a standard or one of the 10 free strap profiles.
6. Colour Touchscreen. In sight of the operator. All controls clearly arranged in 1 screen.
7. 3-in-1: Manual, Semi-Automatic, or Automatic operation. At the touch of a finger.
8. For a consistent result, settings can be locked with a PIN-code.
9. Variable tension speed.
10. Teach-in mode; Test and set the right tension for your packages.

### Strong because of:

11. The Ultra Hard Colour Touch screen; highly resistant to scratches and external impact.
12. It replaces mechanical buttons and knobs.
13. Effortlessly surpassed multiple endurance and impact tests, under the most demanding conditions.
14. Always a clear view, no distortion or condensation.
15. Placed slanted and well-sealed, preventing water & dust to enter.
16. Tool housing of special fibres and first grade recylate. Designed to withstand severe conditions.
17. Both tools surpassed the endless cycle and endurance vibration test.
18. Easy to service and maintain.
19. Robust battery docking station for batteries up to 9Ah & a 230V adapter.
20. Lean maintenance brushless motor.
21. Motor control prevents overheating.
22. Strap dust and grit drain.
23. 24 months factory warranty.

### Safe because of:

24. Symbols and information are clear and easy to read.
25. Ergonomic design assists users on a variety of applications.
26. Touchscreen placement in front of the tool grip.
27. Tension force management and consistency.
28. Double strap guides, warrant an optimal seal efficiency.
29. Strap insertion line, clear of tool and grip.
30. Safety cover, to protect your fingers from moving parts.





### Technical details

For detailed technical information, please refer to our separate data sheets or contact our sales department, who will be happy to answer any questions at: [www.frommpackaging.ca](http://www.frommpackaging.ca)

## The right tool for every application, that makes the difference!



### **P328 S** The Smart versatile Medium-Duty tool

#### Strap dimensions:

12.0 – 16.0 mm x 0.40 – 1.05 mm  
1/2 – 5/8" x .016 – .041"

#### Strap tension:

250 – 2,600 N / 56 – 585 lbs (adjustable)

**Tension speed:** 49 – 174 mm/s / 1.9 – 6.8 inch/s



### **P329 S** The Smart versatile Heavy-Duty tool

#### Strap dimensions:

16.0 – 19.0 mm x 0.65 – 1.35 mm  
5/8 – 3/4" x .026 – .053"

#### Strap tension:

500 – 4,000 N / 112 – 900 lbs (adjustable)

**Tension speed:** 32 – 113 mm/s / 1.3 – 4.5 inch/s

art. nr. 18.7370

**FROMM** | STRAPPING  
SOLUTIONS

Further information: [www.frommpackaging.ca](http://www.frommpackaging.ca)

Subject to changes



# P404 | P403

## MANUAL PLASTIC STRAPPING TOOL

The FROMM P404 & P403 are manually operated plastic strapping tools with seal joint. Robust, reliable, simple & cost effective. Both models are light-weight devices, suitable for strapping and sealing flat packaged goods (e.g. pallets, bales, crates and packages of all kinds) with plastic strap.

You can pick up this tool and use it anywhere, anytime as it operates without the need of a power source or any secondary tools.

### Plastic Strap

For optimal strapping efficiency we recommend our range of **Plastic** strapping. Talk to our friendly staff today!



Manual  
Operation

### ★ Features

- Handy light weight tensioning and sealing tool
- Very High Seal joint efficiency
- Ergonomic design

### + Benefits

- Lightweight
- Robust and reliable
- Long life wear parts
- FROMM 6 month warranty

Specifications	P403	P404
Strap Width (mm):	11-13	15-16
Strap Thickness (mm):	0.40-0.90	0.50-0.90
Weight (kg):	3.3	3.8



Strap Size	3/8 - 1 / 2 in 9mm - 12.5mm	1/2" -5/8" in 12mm - 16mm	5/8" - 3/4" in 16mm - 19mm	3/4" - 1-1/4" in 19mm - 32mm
------------	--------------------------------	------------------------------	-------------------------------	---------------------------------

**POLYESTER**  
BATTERY POWERED



*P318*



*P328-S*



*P329-S*



*P331*

Strap Size	1/2" -5/8" in 12.7mm - 16m	5/8" -3/4" in 16mm- 19mm	3/4" - 1 1/4" in 19mm - 32mm	1/2" - 3/4" in 12.7mm - 19mm
------------	-------------------------------	-----------------------------	---------------------------------	---------------------------------

**POLYESTER**  
PNEUMATIC TOOLS



*P357*



*P358*



*P359*



*P380*

Size in inches	1/2"	5/8"
----------------	------	------

**POLYESTER**  
MANUAL TOOLS



*P403*



*P404*

# TOOL GUIDE

**FROMM** | PACKAGING  
SYSTEMS  
CANADA