SAFETY DATA SHEET

in accordance with 2015/830/EU (REACH, Annex II) 29 CFR 1910.1200, WHMIS 2015 and Safe Work Australia

Revision date: 5 December 2019 **Initial date of issue:** 5 July 2007 **SDS No.** 133-21

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

615 HTG #2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Petroleum base lubricant. Superior multi-purpose grease for heavy loads and high heat.

1.3. Details of the supplier of the safety data sheet

Company:
A.W. CHESTERTON COMPANY
860 Salem Street
Groveland, MA 01834-1507, USA
Tel. +1 978-469-6446 Fax: +1 978-469-6785
(Mon. - Fri. 8:30 - 5:00 PM EST)
SDS requests: www.chesterton.com
E-mail (SDS questions): ProductSDSs@chesterton.com
E-mail: customer.service@chesterton.com

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive,
Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055
EU: Chesterton International GmbH, Am Lenzenfleck 23,
D85737 Ismaning, Germany – Tel. +49-89-996-5460

Supplier:

1.4. Emergency telephone number

24 hours per day, 7 days per week
Call Infotrac: 1-800-535-5053
Outside N. America: +1 352-323-3500 (collect)
NSW Poisons Information Centre (Australia): 13 11 26

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015 and GHS. However, a safety data sheet is being supplied for it on request as it contains at least one substance posing human health or environmental hazards.

2.1.2. Australian statement of hazardous nature

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.3. Additional information

None

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms:	None	
Signal word:	None	
Hazard statements:	None	
Precautionary statements:	None	
Supplemental information:	EUH208	Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts and Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

2.3. Other hazards

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous Ingredients[1]	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	1-5	68584-23-6 271-529-4	NA	Skin Sens. 1B, H317
Calcium dodecylbenzenesulphonate	1-2.5	26264-06-2 247-557-8	NA	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 4, H413
Sulfonic acids, petroleum, calcium salts	1-2.5	61789-86-4 263-093-4	NA	Skin Sens. 1B, H317
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	0.1-<1	70024-69-0 274-263-7	NA	Skin Sens. 1B, H317
Other ingredients:				
Distillates (Petroleum), Solvent-Refined Heavy Paraffinic*	60-70	64741-88-4 265-090-8	NA	Not classified**
Calcium carbonate	10-20	1317-65-3 215-279-6	NA	Not classified**

For full text of H-statements: see SECTION 16.
*Contains less than 3 % DMSO extract as measured by IP 346.
**Substance with a workplace exposure limit.

[1] Classified according to:
- 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F)
- 1272/2008/EC, GHS, REACH
- WHMIS 2015
- Safe Work Australia

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

Skin contact: Wash skin with soap and water. Contact physician if irritation persists.

Eye contact: Flush eyes for at least 15 minutes with large amounts of water. Contact physician immediately.

Ingestion: Do not induce vomiting. Contact physician.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. Avoid contact with the product while providing aid to the victim. See section 8.2.2 for recommendations on personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

May cause mild eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

High velocity injection under the skin may leave a bloodless puncture wound subject to infection, disfigurement, lack of blood and may require amputation. Immediate treatment by a surgical specialist is recommended.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide, dry chemical, foam or water fog

Unsuitable extinguishing media: High volume water jet

5.2. Special hazards arising from the substance or mixture

Dense smoke.

5.3. Advice for firefighters

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

Flammability Classification: –

HAZCHEM Emergency Action Code: 3 Z

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

6.3. Methods and material for containment and cleaning up

Contain spill to a small area. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Utilize exposure controls and personal protection as specified in Section 8. Wash before eating, drinking or smoking. Injection into the body without immediate medical treatment may cause loss of affected part of the body.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limit values

Ingredients	OSHA PEL[1]		ACGIH TLV[2]		UK WEL[3]		AUSTRALIA ES[4]	
	ppm	mg/m^3	ppm	mg/m^3	ppm	mg/m^3	ppm	mg/m^3
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Calcium dodecylbenzenesulphonate	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sulfonic acids, petroleum, calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Oil mist, mineral	N/A	5	N/A	5	N/A	N/A	N/A	5
Calcium carbonate	(total) 15 (resp.) 5		(inhal.) 10 (resp.) 3		(inhal.) 10 (resp.) 4		N/A	10

[1] United States Occupational Health & Safety Administration permissible exposure limits
[2] American Conference of Governmental Industrial Hygienists threshold limit values
[3] EH40 Workplace exposure limits, Health & Safety Executive
[4] Safe Work Australia, Workplace Exposure Standards for Airborne Contaminants

Biological limit values

Not available

Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:

Workers

Not available

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:

Not available

8.2. Exposure controls

8.2.1. Engineering measures

No special requirements. If exposure limits are exceeded, provide adequate ventilation.

8.2.2. Individual protection measures

Respiratory protection: Not normally needed. If exposure limits are exceeded, use an approved organic vapor respirator for mists.

Protective gloves: Chemical resistant gloves (e.g., rubber, nitrile).

Eye and face protection: Safety goggles or glasses.

Other: Long sleeves, long pants and good personal hygiene to minimize skin contact.

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	grease	**Odour**	mild odor
Colour	green	**Odour threshold**	not determined
Initial boiling point	not applicable	**Vapour pressure @ 20°C**	not determined
Melting point	not determined	**% Aromatics by weight**	0
% Volatile (by volume)	0%	**pH**	not applicable
Flash point	> 190°C (> 374°F)	**Relative density**	0.97 kg/l
Method	Open Cup	**Weight per volume**	8.1 lbs/gal.
Viscosity	100 sus @ 38°C	**Coefficient (water/oil)**	< 1
Autoignition temperature	not determined	**Vapour density (air=1)**	> 1
Decomposition temperature	no data available	**Rate of evaporation (ether=1)**	< 1
Upper/lower flammability or explosive limits	not determined	**Solubility in water**	negligible
Flammability (solid, gas)	not applicable	**Oxidising properties**	not determined
Explosive properties	not determined		

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Open flames and red hot surfaces.

10.5. Incompatible materials

Strong acids/bases and strong oxidizers like liquid Chlorine and concentrated Oxygen.

10.6. Hazardous decomposition products

Carbon Monoxide, Carbon Dioxide, oxides of Sulfur and other toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Primary route of exposure under normal use: Skin and eye contact.

Acute toxicity -

Oral: ATE-mix > 5,000 mg/kg

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rat, (OECD 401)	> 5,000 mg/kg
Calcium dodecylbenzenesulphonate	LD50, rat	1,300 mg/kg
Sulfonic acids, petroleum, calcium salts	LD50, rat, (OECD 401)	> 5,000 mg/kg
Calcium carbonate	LD50, rat	6,450 mg/kg

Dermal: ATE-mix > 5,000 mg/kg

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rabbit	> 2,000 mg/kg (read-across)
Calcium dodecylbenzenesulphonate	LD50, rabbit	> 4,199 mg/kg (read-across)
Sulfonic acids, petroleum, calcium salts	LD50, rabbit (OECD 402)	> 4,000 mg/kg

Inhalation: Not classified due to lack of data.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rat, aerosol	> 1.9 mg/l (read-across)

Skin corrosion/irritation: Not irritating, based on data from similar materials.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Skin irritation, rabbit	Not irritating (read-across)
Calcium dodecylbenzenesulphonate	Skin irritation, rabbit	Irritating

Serious eye damage/ irritation: Not irritating, based on data from similar materials.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Eye irritation, rabbit	Irritating (read-across)
Calcium dodecylbenzenesulphonate	Eye irritation, rabbit	Severe irritation (read-across)
Sulfonic acids, petroleum, calcium salts	Eye irritation, rabbit (OECD 405)	Irritating

Respiratory or skin sensitisation: Does not cause skin sensitisation, based on data from similar materials. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts: probability or evidence of low to moderate skin sensitisation rate in humans.

Germ cell mutagenicity: Not classified due to lack of data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

Carcinogenicity: This product contains no carcinogens as listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or the European Chemicals Agency (ECHA).

Reproductive toxicity: Not classified due to lack of data. Distillates (Petroleum), Solvent-Refined Heavy Paraffinic, Calcium carbonate: in animal studies, did not interfere with reproduction.

STOT – single exposure: Not classified due to lack of data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

STOT – repeated exposure: Not classified due to lack of data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

Aspiration hazard: Not classified as an aspiration toxicant.

Other information: None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Calcium dodecylbenzenesulphonate: 96 h LC50 (fish) = 22 mg/l (OECD 203, read-across). Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: 96 h LC50 (fish) > 71 mg/l (OECD 203). Sulfonic acids, petroleum, calcium salts: 96 h LC50 (fish) > 10,000 mg/l. Mineral oil: practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/ErC50 > 100 mg/l.)

12.2. Persistence and degradability

Mineral oil: not readily biodegradable. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: not readily biodegradable (read-across). Calcium dodecylbenzenesulphonate: readily biodegradable. Sulfonic acids, petroleum, calcium salts: not readily biodegradable (8.6%).

12.3. Bioaccumulative potential

Mineral oil: not expected to bioaccumulate. Calcium dodecylbenzenesulphonate: BCF = 104 (fish, 21 days). log Kow 3.9 – 6; has the potential to bioaccumulate, however metabolism or physical properties may reduce the bioconcentration or limit bioavailability.

12.4. Mobility in soil

Solubility in water: negligible. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9). Mineral oil: expected to exhibit low mobility in soil.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Incinerate absorbed material with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement. Unused product is not classified as a hazardous waste according to 2008/98/EC.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

ADG/ADR/RID/ADN/IMDG/ICAO:	NOT APPLICABLE
TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE

14.2. UN proper shipping name

ADG/ADR/RID/ADN/IMDG/ICAO:	NON-HAZARDOUS, NON REGULATED
TDG:	NON-HAZARDOUS, NON REGULATED
US DOT:	NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADG/ADR/RID/ADN/IMDG/ICAO:	NOT APPLICABLE
TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE

14.4. Packing group

ADG/ADR/RID/ADN/IMDG/ICAO:	NOT APPLICABLE
TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE

14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT APPLICABLE

14.8. Other information

NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None

Other EU regulations: None

15.1.2. National regulations

US EPA SARA TITLE III

312 Hazards:	**313 Chemicals:**
None	None

Other national regulations: None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms:

ADG: Australian Dangerous Goods Code
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE: Acute Toxicity Estimate
BCF: Bioconcentration Factor
cATpE: Converted Acute Toxicity point Estimate
CLP: Classification Labelling Packaging Regulation (1272/2008/EC)
ES: Exposure Standard
GHS: Globally Harmonized System
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods
LC50: Lethal Concentration to 50 % of a test population
LD50: Lethal Dose to 50% of a test population
LOEL: Lowest Observed Effect Level
N/A: Not Applicable
NA: Not Available
NOEC: No Observed Effect Concentration
NOEL: No Observed Effect Level
OECD: Organization for Economic Co-operation and Development
PBT: Persistent, Bioaccumulative and Toxic substance
(Q)SAR: Quantitative Structure-Activity Relationship
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)
REL: Recommended Exposure Limit
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
STOT RE: Specific Target Organ Toxicity, Repeated Exposure
STOT SE: Specific Target Organ Toxicity, Single Exposure
TDG: Transportation of Dangerous Goods (Canada)
TWA: Time Weighted Average
US DOT: United States Department of Transportation
vPvB: very Persistent and very Bioaccumulative substance
WEL: Workplace Exposure Limit
WHMIS: Workplace Hazardous Materials Information System
Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references and sources for data:

Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)
Chemical Classification and Information Database (CCID)
European Chemicals Agency (ECHA) - Information on Chemicals
Hazardous Chemical Information System (HCIS)
National Institute of Technology and Evaluation (NITE)
Swedish Chemicals Agency (KEMI)
U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

Classification	Classification procedure
Not applicable	Not applicable

Relevant H-statements: H302: Harmful if swallowed.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H413: May cause long lasting harmful effects to aquatic life.

Hazard pictogram names: Not applicable

Further information: None

Date of last revision: 5 December 2019

Changes to the SDS in this revision: Sections 2.1, 3, 8.1, 11, 12.1, 12.2, 12.3, 12.4.

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.