



Certificate of Compliance

Certificate: 2358468

Master Contract: 251419

Project: 80071798

Date Issued: 2021-12-13

Issued To: Ortal Ltd
14 Haharash St.
Hod Hasharon, Center District, 45240
Israel

Attention: Tal Gross

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Issued by: Parker Burrola
Parker Burrola



PRODUCTS

CLASS - C290104 - DOMESTIC HEATERS (GAS) Vented Fireplace

CLASS - C290184 - DOMESTIC HEATERS (GAS) Vented Fireplace-Certified to U.S. Standards

CLASS - C880505 - ENERGY EFFICIENCY Vented Gas Fireplace Heaters

For Use With Natural and Propane Gas
Direct Vent Gas Fireplace Heater

2901-04 & 2901-84
Model Number

Trade Name: Ortal, Lyric



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

	Single Burner Maximum Input Rating NG	Single Burner Maximum Input Rating Propane	Dual Burner Maximum Input Rating NG	Dual Burner Maximum Input Rating Propane
<u>Burner 30</u>				
Clear - 40/RS/LS/TS/Tunnel, Clear - 18/RS/LS/TS/Tunnel	23,670	21,000	---	---
Clear - 4070H /RS/LS/TS/Tunnel, Clear – 18x28H /RS/LS/TS/Tunnel	23,670	21,000	---	---
Clear - 4070H TS Base, Clear – 18x28H TS Base	23,670	21,000	---	---
Clear - 4090H /RS/LS/TS/Tunnel, Clear – 18x36H /RS/LS/TS/Tunnel	23,670	21,000	---	---
Stand Alone 40TS, Stand Alone 18TS	23,670	21,000	---	---
Small Square	23,670	21,000	---	---
Classic Corner	23,670	21,000	---	---
Classic Modern	23,670	21,000	---	---
<u>Burner 45 (1)</u>				
Clear - 75/RS/LS/TS, Clear - 30/RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 75H /RS/LS/TS, Clear-25H /RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 75HH /RS/LS/TS/SA Clear - 25HH /RS/LS/TS/SA	29,100	22,118	33,029	28,500
Clear 75 Base, Clear 30 Base	29,100	22,118	33,029	28,500
Clear - 75TS Base, Clear - 30TS Base	29,100	22,118	33,029	28,500
Stand Alone 75/TS, Stand Alone 30/TS	29,100	22,118	33,029	28,500
Stand Alone 75/H TS, Stand Alone 25/H TS	29,100	22,118	33,029	28,500
Space Creator 75, Space Creator 30	29,100	22,118	33,029	28,500
Minimal – 75, Minimal – 30	29,100	22,118	33,029	28,500
Clear 75x65/Tunnel, Clear 31/Tunnel	29,100	22,118	33,029	28,500
Clear 75x65H /Tunnel, Clear 31 H/Tunnel	29,100	22,118	33,029	28,500
Stand Alone 75x65 Curve/Tunnel, Stand Alone 30x26 Curve/Tunnel	29,100	22,118	33,029	28,500
Clear - 60x80/Tunnel, Clear - 22x30/Tunnel	29,100	22,118	33,029	28,500
Minimal – 60x80/Tunnel, Minimal – 22x30/Tunnel	29,100	22,118	33,029	28,500
Classic F 70/80, Classic F 28/30	29,100	22,118	33,029	28,500
4 Glass Island	29,100	22,118	33,029	28,500
Clear - 80/RS/LS/TS, Clear - 32/RS/LS/TS	29,100	22,118	33,029	28,500



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Clear - 8070H/RS/LS/TS,	29,100	22,118	33,029	28,500
Clear - 32H/RS/LS/TS				
Clear - 75H/RS/LS/TS,	29,100	22,118	33,029	28,500
Clear - 25H/RS/LS/TS				
Traditional 70, Traditional 36s	29,100	22,118	33,029	28,500
Traditional 90, Traditional 36	29,100	22,118	33,029	28,500
Traditional 110, Traditional 42	29,100	22,118	33,029	28,500
<u>Burner 45 (2)</u>		<u>(Orifice 260)</u>		<u>(Orifice 220/160)</u>
Clear - 75/RS/LS/TS, Clear - 30/RS/LS/TS		24,637		34,459
Clear - 75H /RS/LS/TS, Clear-25H /RS/LS/TS		24,637		34,459
Clear - 75HH /RS/LS/TS/SA		24,637		34,459
Clear - 25HH /RS/LS/TS/SA				34,459
Clear 75 Base, Clear 30 Base		24,637		34,459
Clear - 75TS Base, Clear - 30TS Base		24,637		34,459
Stand Alone 75/TS, Stand Alone 30/TS		24,637		34,459
Stand Alone 75/H TS, Stand Alone 25/H TS		24,637		34,459
Space Creator 75, Space Creator 30		24,637		34,459
Minimal – 75, Minimal – 30		24,637		34,459
Clear 75x65/Tunnel, Clear 31/Tunnel		24,637		34,459
Clear 75x65H /Tunnel, Clear 31 H/Tunnel		24,637		34,459
Stand Alone 75x65 Curve/Tunnel,		24,637		34,459
Stand Alone 30x26 Curve/Tunnel				34,459
Clear - 60x80/Tunnel, Clear - 22x30/Tunnel		24,637		34,459
Minimal – 60x80/Tunnel,		24,637		34,459
Minimal – 22x30/Tunnel				34,459
Classic F 70/80, Classic F 28/30		24,637		34,459
4 Glass Island		24,637		34,459
Clear - 80/RS/LS/TS, Clear - 32/RS/LS/TS		24,637		34,459
Clear - 8070H/RS/LS/TS,		24,637		34,459
Clear - 32H/RS/LS/TS				34,459
Clear - 75H/RS/LS/TS,		24,637		34,459
Clear - 25H/RS/LS/TS				34,459
Traditional 70, Traditional 36s		24,637		34,459
Traditional 90, Traditional 36		24,637		34,459
Traditional 110, Traditional 42		24,637		34,459
<u>Burner 45 (3)</u>		<u>(Orifice 320)</u>		<u>(Orifice 220/220)</u>
Clear - 75/RS/LS/TS, Clear - 30/RS/LS/TS		28,343		53,238
Clear - 75H /RS/LS/TS, Clear-25H /RS/LS/TS		28,343		53,238
Clear - 75HH /RS/LS/TS/SA		28,343		53,238
Clear - 25HH /RS/LS/TS/SA				53,238



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Clear 75 Base, Clear 30 Base	28,343	53,238
Clear - 75TS Base, Clear - 30TS Base	28,343	53,238
Stand Alone 75/TS, Stand Alone 30/TS	28,343	53,238
Stand Alone 75/H TS, Stand Alone 25/H TS	28,343	53,238
Space Creator 75, Space Creator 30	28,343	53,238
Minimal – 75, Minimal – 30	28,343	53,238
Clear 75x65/Tunnel, Clear 31/Tunnel	28,343	53,238
Clear 75x65H /Tunnel, Clear 31 H/Tunnel	28,343	53,238
Stand Alone 75x65 Curve/Tunnel, Stand Alone 30x26 Curve/Tunnel	28,343	53,238
Clear - 60x80/Tunnel, Clear - 22x30/Tunnel	28,343	53,238
Minimal – 60x80/Tunnel, Minimal – 22x30/Tunnel	28,343	53,238
Classic F 70/80, Classic F 28/30	28,343	53,238
4 Glass Island	28,343	53,238
Clear - 80/RS/LS/TS, Clear - 32/RS/LS/TS	28,343	53,238
Clear - 8070H/RS/LS/TS, Clear - 32H/RS/LS/TS	28,343	53,238
Clear - 75H/RS/LS/TS, Clear - 25H/RS/LS/TS	28,343	53,238
Traditional 70, Traditional 36s	28,343	53,238
Traditional 90, Traditional 36	28,343	53,238
Traditional 110, Traditional 42	28,343	53,238

Burner 70

Clear 90 RS/LS/TS/Tunnel (B70), Clear 36 RS/LS/TS/Tunnel (B70)	33,127	19,591	36,154	35,260
Clear 90 H RS/LS/TS/Tunnel (B70), Clear 36 H RS/LS/TS/Tunnel (B70)	33,127	19,591	36,154	35,260
Oval 120 360/270, Oval 50 360/270	33,127	19,591	36,154	35,260
Island 90, Island 36	33,127	19,591	36,154	35,260

Burner 100

Clear - 110/RS/LS/TS/Tunnel; Clear - 44/RS/LS/TS/Tunnel	37,167	28,500	42,185	33,400
Clear - 110 Base, Clear - 44 Base	37,167	28,500	42,185	33,400
Clear - 110 TS Base, Clear – 44 TS Base	37,167	28,500	42,185	33,400
Stand Alone 110 /TS, Stand Alone 44 /TS	37,167	28,500	42,185	33,400
Minimal – 110/Tunnel, Minimal – 44/Tunnel	37,167	28,500	42,185	33,400
Island 130, Island 51	37,167	28,500	42,185	33,400



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Minimal – 130/Tunnel, Minimal – 51/Tunnel	37,167	28,500	42,185	33,400
Clear – 110 H/HH RS/LS/TS/Tunnel, Clear – 44 H/HH RS/LS/TS/Tunnel	37,167	28,500	42,185	33,400
Clear 130 H/HH RS/LS/TS, Clear 51 H/HH RS/LS/TS	37,167	28,500	42,185	33,400
Clear – 130 /RS/LS/TS/Tunnel/Top, Clear – 51 /RS/LS/TS/Tunnel/Top	37,167	28,500	42,185	33,400
Space Creator 120 / Mini / Midi, Space Creator 48 / Mini / Midi	37,167	28,500	42,185	33,400
Space Creator 120H, Space Creator 48 H	37,167	28,500	42,185	33,400

Burner 135

Clear 140 RS/LS/TS/Tunnel, Clear 56 RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear – 150 /H/RS/LS/TS/Tunnel, Clear – 60 /H/RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Space Creator 150, Space Creator 60 Space Creator 150H, Space Creator 60H	43,715	36,850	49,616	37,400
Stand Alone 150, Stand Alone 60 Clear 150 H/HH RS/LS/TS/Tunnel, Clear 60 H/HH RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear 170 /RS/LS/TS/Tunnel, Clear 68 /RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear 170 H/HH RS/LS/TS/Tunnel, Clear 68 H/HH RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400

Burner 160

Clear – 200 H/HH RS/LS/TS/Tunnel, Clear – 77 H/HH RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500
Space Creator 200, Space Creator 77 Space Creator 200H, Space Creator 77 H	51,277	36,659	58,200	37,500
Clear – 250 /RS/LS/TS/Tunnel, Clear – 98 /RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500
Clear – 250H/HH RS/LS/TS/Tunnel, Clear – 98 H/HH RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500

Burner 180

Clear 200 RS/LS/TS/Tunnel, Clear 77 RS/LS/TS/Tunnel	52,700	57,045		
Clear 200 H/HH /RS/LS/TS/Tunnel, Clear 77 H/HH /RS/LS/TS/Tunnel	52,700	57,045		



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Space Creator 200, Space Creator 77	52,700	57,045
Space Creator 200 H, Space Creator 77 H	52,700	57,045
Clear – 250 /RS/LS/TS/Tunnel,	52,700	57,045
Clear – 98 /RS/LS/TS/Tunnel		
Clear – 250 H/HH RS/LS/TS/Tunnel,	52,700	57,045
Clear – 98 H/HH RS/LS/TS/Tunnel		

**(Orifice
6mm)**

<u>Burner 180</u>		
Clear 200 RS/LS/TS/Tunnel,	82,802	
Clear 77 RS/LS/TS/Tunnel		
Clear 200 H/HH /RS/LS/TS/Tunnel,	82,802	
Clear 77 H/HH /RS/LS/TS/Tunnel		
Space Creator 200, Space Creator 77	82,802	
Space Creator 200 H, Space Creator 77 H	82,802	
Clear – 250 /RS/LS/TS/Tunnel,	82,802	
Clear – 98 /RS/LS/TS/Tunnel		
Clear – 250 H/HH RS/LS/TS/Tunnel,	82,802	
Clear – 98 H/HH RS/LS/TS/Tunnel		

Two Burners (2x100)

Clear 250 DB F/RS/LS/TS/ Tunnel,	81,509	70,890
Clear 98 DB F/RS/LS/TS/ Tunnel		
Clear 250 H/HH DB F/RS/LS/TS/ Tunnel,	81,509	70,890
Clear 98 H/HH DB F/RS/LS/TS/ Tunnel		

Log Burner – Dark Brown/Chopped Wood

Wilderness Traditional 28i/25i/35i/30	29,861	24,130
Wilderness 25 /H FR/RS/LS/TS/SA	29,861	24,130
Wilderness 31	29,861	24,130
Wilderness Front 30H FR/RS/LS/TS	29,861	24,130
Wilderness Curve/Tunnel	29,861	24,130

Log Burner – Driftwood

Wilderness 44H/HH FR/RS/LS/TS	32,163	31,426
Wilderness 51H/HH FR/RS/LS/TS	32,163	31,426
Wilderness 60H/HH FR/RS/LS/TS	32,163	31,426
Wilderness 68H/HH FR/RS/LS/TS	32,163	31,426
Wilderness Traditional 28i/36/36S/42/51	32,163	31,426
Wilderness 36H/HH	32,163	31,426



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Log Burner – Horizontal Driftwood

Wilderness 44H/HH FR/RS/LS/TS	36,467
Wilderness 51H/HH FR/RS/LS/TS	36,467
Wilderness 60H/HH FR/RS/LS/TS	36,467
Wilderness 68H/HH FR/RS/LS/TS	36,467

<u>Burner Driftwood 45-3</u>	32,768	27,645
Wilderness 25H FR/RS/LS/TS/SA/TU	32,768	27,645
Wilderness 22	32,768	27,645
Wilderness 31 FR/TU	32,768	27,645
Wilderness 31 H FR/TU	32,768	27,645
Wilderness 36 H FR/RS/LS/TS	32,768	27,645
Wilderness Curve/Tunnel	32,768	27,645
Wilderness TR28i	32,768	27,645
Wilderness TR30	32,768	27,645
Wilderness TR36s,	32,768	27,645
Wilderness TR36	32,768	27,645
Wilderness TR42	32,768	27,645
Wilderness TR51	32,768	27,645
Wilderness Island 28	32,768	27,645

	Orifice	Orifice
	650-180-500	180-60-120
	500	260

<u>Burner Driftwood 100-3</u>		
Wilderness 44 H/HH	52,000	48,000
FR/RS/LS/TS/TU/SC/SA		
Wilderness 50 SC	52,000	48,000
Wilderness 51 H/HH FR/RS/LS/TS/TU	52,000	48,000
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	52,000	48,000
Wilderness 68 H/HH FR/RS/LS/TS/TU	52,000	48,000
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	52,000	48,000
Wilderness 98 H/HH FR/RS/LS/TS/TU	52,000	48,000
Island 51	52,000	48,000

	Orifice
	1200-380-
	650
	500

Burner Driftwood 100-3



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Wilderness 44 H/HH FR/RS/LS/TS/TU/SC/SA	58,500	
Wilderness 50 SC	58,500	
Wilderness 51 H/HH FR/RS/LS/TS/TU	58,500	
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	58,500	
Wilderness 68 H/HH FR/RS/LS/TS/TU	58,500	
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	58,500	
Wilderness 98 H/HH FR/RS/LS/TS/TU	58,500	
Island 51	58,500	
Burner Driftwood 135-3	62,500	50,000
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	62,500	50,000
Wilderness 68 H/HH FR/RS/LS/TS/TU	62,500	50,000
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	62,500	50,000
Wilderness 98 H/HH FR/RS/LS/TS/TU	62,500	50,000
Burner Driftwood 135-5		
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	62,500	56,000
Wilderness 68 H/HH FR/RS/LS/TS/TU	62,500	56,000
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	62,500	56,000
Wilderness 98 H/HH FR/RS/LS/TS/TU	62,500	56,000
Burner Driftwood 180-5		
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	67,575	68,774
Wilderness 98 H/HH FR/RS/LS/TS/TU	67,575	68,774
Burner Driftwood 220-5		
Wilderness 77 H/HH FR/RS/LS/TS/TU	82,057	73,170
Wilderness 98 H/HH FR/RS/LS/TS/TU	82,057	73,170



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

	Single Burner Minimum Input Rating NG	Single Burner Minimum Input Rating Propane	Dual Burner Minimum Input Rating NG	Dual Burner Minimum Input Rating Propane
<u>Burner 30</u>				
Clear - 40/RS/LS/TS/Tunnel,	10,419	12,841	---	---
Clear - 18/RS/LS/TS/Tunnel				
Clear - 4070H /RS/LS/TS/Tunnel,	10,419	12,841	---	---
Clear – 18x28H /RS/LS/TS/Tunnel				
Clear - 4070H TS Base,	10,419	12,841	---	---
Clear – 18x28H TS Base				
Clear - 4090H /RS/LS/TS/Tunnel,	10,419	12,841	---	---
Clear – 18x36H /RS/LS/TS/Tunnel				
Stand Alone 40TS, Stand Alone 18TS	10,419	12,841	---	---
Small Square	10,419	12,841	---	---
Classic Corner	10,419	12,841	---	---
Classic Modern	10,419	12,841	---	---
<u>Burner 45 (1)</u>				
Clear - 75/RS/LS/TS, Clear - 30/RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 75H /RS/LS/TS, Clear-25H /RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 75HH /RS/LS/TS/SA	16,147	13,811	18,327	17,796
Clear - 25HH /RS/LS/TS/SA				
Clear 75 Base, Clear 30 Base	16,147	13,811	18,327	17,796
Clear - 75TS Base, Clear - 30TS Base	16,147	13,811	18,327	17,796
Stand Alone 75/TS, Stand Alone 30/TS	16,147	13,811	18,327	17,796
Stand Alone 75/H TS, Stand Alone 25/H TS	16,147	13,811	18,327	17,796
Space Creator 75, Space Creator 30	16,147	13,811	18,327	17,796
Minimal – 75, Minimal – 30	16,147	13,811	18,327	17,796
Clear 75x65/Tunnel, Clear 31/Tunnel	16,147	13,811	18,327	17,796
Clear 75x65H /Tunnel, Clear 31 H/Tunnel	16,147	13,811	18,327	17,796
Stand Alone 75x65 Curve/Tunnel,	16,147	13,811	18,327	17,796
Stand Alone 30x26 Curve/Tunnel				
Clear - 60x80/Tunnel, Clear - 22x30/Tunnel	16,147	13,811	18,327	17,796
Minimal – 60x80/Tunnel,	16,147	13,811	18,327	17,796
Minimal – 22x30/Tunnel				
Classic F 70/80, Classic F 28/30	16,147	13,811	18,327	17,796
4 Glass Island	16,147	13,811	18,327	17,796
Clear - 80/RS/LS/TS, Clear - 32/RS/LS/TS	16,147	13,811	18,327	17,796



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Clear - 8070H/RS/LS/TS,	16,147	13,811	18,327	17,796
Clear - 32H/RS/LS/TS				
Clear - 75H/RS/LS/TS,	16,147	13,811	18,327	17,796
Clear - 25H/RS/LS/TS				
Traditional 70, Traditional 36s	16,147	13,811	18,327	17,796
Traditional 90, Traditional 36	16,147	13,811	18,327	17,796
Traditional 110, Traditional 42	16,147	13,811	18,327	17,796
<u>Burner 45 (2)</u>		<u>(Orifice 260)</u>		<u>(Orifice 220/160)</u>
Clear - 75/RS/LS/TS, Clear - 30/RS/LS/TS		18,312		16,742
Clear - 75H /RS/LS/TS, Clear-25H /RS/LS/TS		18,312		16,742
Clear - 75HH /RS/LS/TS/SA		18,312		16,742
Clear - 25HH /RS/LS/TS/SA		18,312		16,742
Clear 75 Base, Clear 30 Base		18,312		16,742
Clear - 75TS Base, Clear - 30TS Base		18,312		16,742
Stand Alone 75/TS, Stand Alone 30/TS		18,312		16,742
Stand Alone 75/H TS, Stand Alone 25/H TS		18,312		16,742
Space Creator 75, Space Creator 30		18,312		16,742
Minimal – 75, Minimal – 30		18,312		16,742
Clear 75x65/Tunnel, Clear 31/Tunnel		18,312		16,742
Clear 75x65H /Tunnel, Clear 31 H/Tunnel		18,312		16,742
Stand Alone 75x65 Curve/Tunnel,		18,312		16,742
Stand Alone 30x26 Curve/Tunnel		18,312		16,742
Clear - 60x80/Tunnel, Clear - 22x30/Tunnel		18,312		16,742
Minimal – 60x80/Tunnel,		18,312		16,742
Minimal – 22x30/Tunnel		18,312		16,742
Classic F 70/80, Classic F 28/30		18,312		16,742
4 Glass Island		18,312		16,742
Clear - 80/RS/LS/TS, Clear - 32/RS/LS/TS		18,312		16,742
Clear - 8070H/RS/LS/TS,		18,312		16,742
Clear - 32H/RS/LS/TS		18,312		16,742
Clear - 75H/RS/LS/TS,		18,312		16,742
Clear - 25H/RS/LS/TS		18,312		16,742
Traditional 70, Traditional 36s		18,312		16,742
Traditional 90, Traditional 36		18,312		16,742
Traditional 110, Traditional 42		18,312		16,742
<u>Burner 45 (3)</u>		<u>(Orifice 320)</u>		<u>(Orifice 220/220)</u>
Clear - 75/RS/LS/TS, Clear - 30/RS/LS/TS		15,627		17,265
Clear - 75H /RS/LS/TS, Clear-25H /RS/LS/TS		15,627		17,265



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13 2021-12-13

Clear - 75HH /RS/LS/TS/SA	15,627			17,265
Clear - 25HH /RS/LS/TS/SA				17,265
Clear 75 Base, Clear 30 Base	15,627			17,265
Clear - 75TS Base, Clear - 30TS Base	15,627			17,265
Stand Alone 75/TS, Stand Alone 30/TS	15,627			17,265
Stand Alone 75/H TS, Stand Alone 25/H TS	15,627			17,265
Space Creator 75, Space Creator 30	15,627			17,265
Minimal – 75, Minimal – 30	15,627			17,265
Clear 75x65/Tunnel, Clear 31/Tunnel	15,627			17,265
Clear 75x65H /Tunnel, Clear 31 H/Tunnel	15,627			17,265
Stand Alone 75x65 Curve/Tunnel,	15,627			17,265
Stand Alone 30x26 Curve/Tunnel				17,265
Clear - 60x80/Tunnel, Clear - 22x30/Tunnel	15,627			17,265
Minimal – 60x80/Tunnel,	15,627			17,265
Minimal – 22x30/Tunnel				17,265
Classic F 70/80, Classic F 28/30	15,627			17,265
4 Glass Island	15,627			17,265
Clear - 80/RS/LS/TS, Clear - 32/RS/LS/TS	15,627			17,265
Clear - 8070H/RS/LS/TS,	15,627			17,265
Clear - 32H/RS/LS/TS				17,265
Clear - 75H/RS/LS/TS,	15,627			17,265
Clear - 25H/RS/LS/TS				17,265
Traditional 70, Traditional 36s	15,627			17,265
Traditional 90, Traditional 36	15,627			17,265
Traditional 110, Traditional 42	15,627			17,265

Burner 70

Clear 90 RS/LS/TS/Tunnel (B70),	14,461	14,104	14,461	14,104
Clear 36 RS/LS/TS/Tunnel (B70)				
Clear 90 H RS/LS/TS/Tunnel (B70),	14,461	14,104	14,461	14,104
Clear 36 H RS/LS/TS/Tunnel (B70)				
Oval 120 360/270, Oval 50 360/270	14,461	14,104	14,461	14,104
Island 90, Island 36	14,461	14,104	14,461	14,104

Burner 100

Clear - 110/RS/LS/TS/Tunnel,	22,800	22,900	28,878	26,837
Clear - 44/RS/LS/TS/Tunnel				
Clear - 110 Base, Clear - 44 Base	22,800	22,900	28,878	26,837
Clear - 110 TS Base, Clear – 44 TS Base	22,800	22,900	28,878	26,837
Stand Alone 110 /TS, Stand Alone 44 /TS	22,800	22,900	28,878	26,837



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Minimal – 110/Tunnel, Minimal – 44/Tunnel	22,800	22,900	28,878	26,837
Island 130, Island 51	22,800	22,900	28,878	26,837
Minimal – 130/Tunnel, Minimal – 51/Tunnel	22,800	22,900	28,878	26,837
Clear – 110 H/HH RS/LS/TS/Tunnel, Clear – 44 H/HH RS/LS/TS/Tunnel	22,800	22,900	28,878	26,837
Clear 130 H/HH RS/LS/TS, Clear 51 H/HH RS/LS/TS	22,800	22,900	28,878	26,837
Clear – 130 /RS/LS/TS/Tunnel/Top, Clear – 51 /RS/LS/TS/Tunnel/Top	22,800	22,900	28,878	26,837
Space Creator 120 / Mini / Midi, Space Creator 50 / Mini / Midi	22,800	22,900	28,878	26,837
Space Creator 120 H, Space Creator 50 H	22,800	22,900	28,878	26,837

Burner 135

Clear 140 RS/LS/TS/Tunnel, Clear 56 RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear – 150 /H/RS/LS/TS/Tunnel, Clear – 60 /H/RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Space Creator 150, Space Creator 60	23,300	27,100	28,878	27,467
Space Creator 150H, Space Creator 60H	23,300	27,100	28,878	27,467
Stand Alone 150, Stand Alone 60	23,300	27,100	28,878	27,467
Clear 150 H/HH RS/LS/TS/Tunnel, Clear 60 H/HH RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear 170 /RS/LS/TS/Tunnel, Clear 68 /RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear 170 H/HH RS/LS/TS/Tunnel, Clear 68 H/HH RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467

Burner 160

Clear – 200 H/HH RS/LS/TS/Tunnel, Clear – 77 H/HH RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Space Creator 200, Space Creator 77	27,467	26,400	27,454	37,500
Space Creator 200H, Space Creator 77 H	27,467	26,400	27,454	37,500
Clear – 250 /RS/LS/TS/Tunnel, Clear – 98 /RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Clear – 250H/HH RS/LS/TS/Tunnel, Clear – 98 H/HH RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500

Burner 180

Clear 200 RS/LS/TS/Tunnel, Clear 77 RS/LS/TS/Tunnel	21,700	42,640		
Clear 200 H/HH /RS/LS/TS/Tunnel,	21,700	42,640		



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Clear 77 H/HH /RS/LS/TS/Tunnel		
Space Creator 200, Space Creator 77	21,700	42,640
Space Creator 200 H, Space Creator 77 H	21,700	42,640
Clear – 250 /RS/LS/TS/Tunnel,		
Clear – 98 /RS/LS/TS/Tunnel	21,700	42,640
Clear – 250 H/HH RS/LS/TS/Tunnel,		
Clear – 98 H/HH RS/LS/TS/Tunnel	21,700	42,640

**(Orifice
6mm)**

<u>Burner 180</u>		
Clear 200 RS/LS/TS/Tunnel,		
Clear 77 RS/LS/TS/Tunnel	40,548	
Clear 200 H/HH /RS/LS/TS/Tunnel,		
Clear 77 H/HH /RS/LS/TS/Tunnel	40,548	
Space Creator 200, Space Creator 77	40,548	
Space Creator 200 H, Space Creator 77 H	40,548	
Clear – 250 /RS/LS/TS/Tunnel,		
Clear – 98 /RS/LS/TS/Tunnel	40,548	
Clear – 250 H/HH RS/LS/TS/Tunnel,		
Clear – 98 H/HH RS/LS/TS/Tunnel	40,548	

Two Burners (2x100)

Clear 250 DB F/RS/LS/TS/ Tunnel,		
Clear 98 DB F/RS/LS/TS/ Tunnel	47,872	34,008
Clear 250 H/HH DB F/RS/LS/TS/ Tunnel,		
Clear 98 H/HH DB F/RS/LS/TS/ Tunnel	47,872	34,008

Log Burner – Dark Brown/Chopped Wood

Wilderness Traditional 28i/25i/35i/30	12,613	18,120
Wilderness 25 /H FR/RS/LS/TS/SA	12,613	18,120
Wilderness 31	12,613	18,120
Wilderness Front 30H FR/RS/LS/TS	12,613	18,120
Wilderness Curve/Tunnel	12,613	18,120

Log Burner – Driftwood

Wilderness 44H/HH FR/RS/LS/TS	15,696	21,391
Wilderness 51H/HH FR/RS/LS/TS	15,696	21,391
Wilderness 60H/HH FR/RS/LS/TS	15,696	21,391
Wilderness 68H/HH FR/RS/LS/TS	15,696	21,391
Wilderness Traditional 28i/36/36S/42/51	15,696	21,391



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Wilderness 36H	15,696	21,391
----------------	--------	--------

Log Burner – Horizontal Driftwood

Wilderness 44H/HH FR/RS/LS/TS	23,862
Wilderness 51H/HH FR/RS/LS/TS	23,862
Wilderness 60H/HH FR/RS/LS/TS	23,862
Wilderness 68H/HH FR/RS/LS/TS	23,862

Burner Driftwood 45-3

Wilderness 25H FR/RS/LS/TS/SA/TU	16,781	18,745
Wilderness 22	16,781	18,745
Wilderness 31 FR/TU	16,781	18,745
Wilderness 31 H FR/TU	16,781	18,745
Wilderness 36 H FR/RS/LS/TS	16,781	18,745
Wilderness Curve/Tunnel	16,781	18,745
Wilderness TR28i	16,781	18,745
Wilderness TR30	16,781	18,745
Wilderness TR36s	16,781	18,745
Wilderness TR36	16,781	18,745
Wilderness TR42	16,781	18,745
Wilderness TR51	16,781	18,745
Wilderness Island 28	16,781	18,745

	Orifice	Orifice
	650-180-500	180-60-120
	500	260

Burner Driftwood 100-3

Wilderness 44 H/HH FR/RS/LS/TS/TU/SC/SA	36,101	30,690
Wilderness 50 SC	36,101	30,690
Wilderness 51 H/HH FR/RS/LS/TS/TU	36,101	30,690
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	36,101	30,690
Wilderness 68 H/HH FR/RS/LS/TS/TU	36,101	30,690
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	36,101	30,690
Wilderness 98 H/HH FR/RS/LS/TS/TU	36,101	30,690
Island 51	36,101	30,690

	Orifice
	1200-380-650

Burner Driftwood 100-3

500



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Wilderness 44 H/HH FR/RS/LS/TS/TU/SC/SA	39,645	
Wilderness 50 SC	39,645	
Wilderness 51 H/HH FR/RS/LS/TS/TU	39,645	
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	39,645	
Wilderness 68 H/HH FR/RS/LS/TS/TU	39,645	
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	39,645	
Wilderness 100 H/HH FR/RS/LS/TS/TU	39,645	
Island 51	39,645	
Burner Driftwood 135-3		
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	41,259	34,322
Wilderness 68 H/HH FR/RS/LS/TS/TU	41,259	34,322
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	41,259	34,322
Wilderness 98 H/HH FR/RS/LS/TS/TU	41,259	34,322
Burner Driftwood 135-5		
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	38,803	36,901
Wilderness 68 H/HH FR/RS/LS/TS/TU	38,803	36,901
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	38,803	36,901
Wilderness 98 H/HH FR/RS/LS/TS/TU	38,803	36,901
Burner Driftwood 180-5		
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC	47,350	41,325
Wilderness 98 H/HH FR/RS/LS/TS/TU	47,350	41,325
Burner Driftwood 220-5		
Wilderness 77 H/HH FR/RS/LS/TS/TU	59,000	42,382
Wilderness 98 H/HH FR/RS/LS/TS/TU	59,000	42,382

May employ outer glass extender kit, may be used on exterior walls

APPLICABLE REQUIREMENTS

CSA/ANSI Z21.88:19/CSA 2.33:19 - Vented Gas Fireplace Heaters
EEV P4.1-02, P4.1-09 Testing Method for Annual Fireplaces Efficiency

Notes:



Certificate: 2358468
Project: 80071798

Master Contract: 251419
Date Issued: 2021-12-13/2021-12-13

Products certified under Class C880505 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). www.scc.ca



Products certified under Class C290104, C290184 have been certified under CSA's ISO/IEC 17065 accreditation with the American National Standards Institute (ANSI). www.ansi.org





Supplement to Certificate of Compliance

Certificate: 2358468

Master Contract: 251419

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80071798	2021-12-13	Update CSA report 2358468 to CSA/ANSI Z21.88:19/CSA 2.33:19 - Vented Gas Fireplace Heaters per gas products notice 459 and test new driftwood burners and alternate high rise vent termination for use with natural gas and propane.
80019397	2020-03-31	Update CSA certificate 2358468 to add electrical lights system
80009732	2020-02-28	May employ trade name Lyric and outer glass extension kit for exterior wall installation. Tested Model Clear 6575 Front with alternate larger orifice sizes for the size 45 burner on propane, and with new Log Burner DB on both natural and propane, Model Traditional 110 with alternate larger orifice size on the 45 size semi double burner on propane, Model Traditional 110 using Log Burner EB on natural, Model Clear 150HH Front with Log Burner MD on both natural and propane and Log Burner OM on natural, Model Clear 250HH Front with a single 180 burner with larger orifice size on natural and propane, and Model Clear 250HH Front with 2 1 meter burners on natural and propane.
70186010	2018-06-05	Continuation of 70145247 for review of missing documentation and to finalize certification
70031531	2015-08-21	Updated Gas Fireplaces to Gas Notice 329 to ANSI Z21.88/CSA 2.33-2014
2758663	2014-11-21	Tested glass barriers to Gas Fireplaces requirement to (Gas Notices 294 & 329). Updated report to ANSI Z21.88/CSA 2.33-2014 and added Class Nos. 8805-05 P4.1-02 Testing Method for Annual Fireplace Efficiency.
2605464	2013-09-25	Add alternate model nos. 4 Glass Island, Clear-250, 350, 400-RS,LS,TS, Tunnel and Power Vent System-Dura Vent and added gas components.
2503686	2012-04-25	Corrected Factory Inspection Report.
2440619	2011-08-11	Efficiency Testing CSA P.4.1-02 for Canadian Certification.
2395268	2011-02-15	Address corrected to Certificate of Compliance.



2358468

2011-01-14

Original Certification