



T-Posts

Pages AG-4 to AG-7

Wood Posts and Rails

Pages AG-8 to AG-12

Barb Wire and Barbless Wire

Pages AG-13 to AG-14

Fence Stays and Gripples

Page AG-15

Woven Wire

Pages AG-16 to AG-22

Welded Wire

Pages AG-23 to AG-24

Wire Fence and Hardware Cloth

Page AG-25

Panels

Page AG-26

Gates

Pages AG-27 to AG-29

Kennels

Page AG-30 to AG-31

Plastic and Wood Slats Fence

Page AG-32

Fences Types

Cattle Fences

RECOMMENDED

- 4 to 5 strand Barb Wire fences
- Woven Wire fences with 1 or more barb wire strands above the Woven Wire
- Wire Panel fences
- Heavyweight and Extra-Heavyweight wire
- Clearly visible fences
- Minimum fence height: 60"




Horse Fences

RECOMMENDED

- Square Knot Woven Wire horse fences with less than 4" openings
- Heavyweight and Extra-Heavyweight wire
- Clearly visible fences
- Minimum fence height: 48"

NOT RECOMMENDED

- Barb Wire fences
- High-Tensile Wire fences



Sheep and Goat Fences

RECOMMENDED

- Woven Wire fences for non-horned sheep and goats
- Mesh Wire fences for non-horned sheep and goats
- Heavyweight and Extra-Heavyweight wire
- Minimum fence height: 39"

NOT RECOMMENDED

- Barb Wire fences
- Temporary fencing




Hog Fences

RECOMMENDED

- Woven Wire fences with 1 or more barb wire strands along the ground
- Small openings between the woven wires
- Fences built close to the ground
- Medium and Heavyweight wire
- Maximum fence height: 54"

NOT RECOMMENDED

- Barb Wire fences
- Cable fences



Wire Basics

Wire Types

HIGH TENSILE

With approximately 0.28% carbon content, high tensile wire is significantly stronger and longer lasting than low carbon wire.

LOW CARBON

Low Carbon wire is made from steel rod of approximately 0.10% carbon content. This wire is easy to work with and fairly forgiving. Products that are not labeled as High Tensile use Low Carbon wire.

Wire Coatings

BEZINAL

95% Zinc + 5% Aluminum

2-3 times more corrosion resistant than zinc wire with same coating weight

CLASS 3

0.80 oz. of zinc/ft²

Meets or exceeds ASTM A 121, A 116, and A 641

More than 2.5 times thicker than Class 1 coating

CLASS 1

0.28 oz. of zinc/ft²

Commonly used to coat low carbon wire

Industry standard

COMMERCIAL

Zinc coating with no minimum ASTM coating weight

Commonly used on welded wires, poultry netting, and hardware cloth.

Lowest grade

- 9 gauge
- 10 gauge
- 11 gauge
- 12-1/2 gauge
- 14 gauge
- 14-1/2 gauge
- 16 gauge
- 17 gauge
- 18 gauge
- 20 gauge

Barb Wire and Electric Wire

ELECTRIC WIRE

Consists of one strand of smooth, conductive wire


BARB WIRE

Consists of two strands of wire twisted together with barbs evenly spaced.

Comes in 2 point barbs or 4 point barbs

BARBLESS WIRE

Consists of one strand of smooth wire




Woven Wire and Welded Wire

Woven Wire

1047 - 6 - 12-1/2 ga.


horizontal line wire quantity roll height distance between vertical wires (stays) wire gauge



Welded Wire

2" x 4" x 48"

mesh width mesh height roll height



Knot Types for Woven Wire

HINGE KNOT


The Hinge Knot stretches and gives, allowing it to absorb animal impact without damage. Uniform crimps keep the hinge knot fence tight under strain.

SQUARE KNOT

Square Knot woven wire has extra vertical strength to withstand heavy impact. The knot construction is smooth to prevent snags and cuts.

FIXED KNOT

The Fixed Knot uses solid vertical stay wires to allow for increased post spacing. The knot cannot come apart under pressure, making it highly resistant to impact. Uniform crimps keep the hinge knot fence tight under strain.



T Posts

Green with Cream Tip - Domestic / Light Weight 1.25/ft. • Non-Certified


LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
6'	011429	011430	200	7.50	
6' 6"	011449	008582	200	8.13	
7'	011454	008585	200	8.75	

Green with Cream Tip - Domestic / Heavy Weight 1.33/ft. • Non-Certified

LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
5'	628Y00	012457	200	6.65	
5' 6"	596Y00	595Y00	200	7.32	
6'	011425	008580	200	7.98	
6' 6"	011428	008583	200	8.65	
7'	011426	008586	200	9.31	
8'	011427	008589	200	10.64	

Green with Cream Tip - Domestic / Heavy Weight 1.33/ft. • Certified ASTM A 702

LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
5' 6"	011433	009326	200	7.32	
6'	011434	009327	200	7.98	
6' 6"	011431	009329	200	8.65	
7'	011435	009330	200	9.31	
8'	011436	009328	200	10.64	
10'	011437	872X00	200	13.30	



Green with Cream Tip - Import / Light Weight 1.25/ft.


LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
4'	366X00	011455	200	5.00	
5'	034895	034807	200	6.25	
5' 6"	008576	034808	200	6.88	
6'	034843	034847	200	7.50	
6' 6"	009446	034848	200	8.13	
7'	034845	034809	200	8.75	
8'	034859	034849	200	10.00	

Green with Cream Tip - Import / Heavy Weight 1.33/ft.

LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
5'	034861	034815	200	6.65	
5' 6"	034862	034816	200	7.32	
6'	034863	034860	200	7.98	
6' 6"	034864	034868	200	8.65	
7'	034865	034869	200	9.31	
7' 6"	034866	011456	200	9.98	
8'	034867	034877	200	10.64	
10'	033208	011457	200	13.30	

Green with Gold Tip - Domestic / Light Weight 1.25/ft. • Non-Certified

LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
5'	011441	010856	200	6.25	
5' 6"	011442	010857	200	6.88	
6'	011443	010858	200	7.50	
6' 6"	011444	010859	200	8.13	
7'	011445	010860	200	8.75	
8'	011446	010861	200	10.00	
9'	011447	010862	200	11.25	
10'	011448	010890	200	12.50	




T Posts

Green with Lime Tip - Domestic / Heavy Weight 1.33/ft. • Non-Certified

LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
5' 6"	011458	010891	200	7.32	
6'	011459	010892	200	7.98	
6' 6"	011460	010893	200	8.65	
7'	011461	010894	200	9.31	
8'	011462	010895	200	10.64	
10'	011463	010896	200	13.30	

Green with Lime Tip - Domestic / Heavy Weight 1.33/ft. • Galvanized

LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
5'	007104	007103	200	6.65	
5' 6"	413G00	011464	200	7.32	
7' 6"	034820	034915	200	9.98	



Galvanized - Domestic / Heavy Weight 1.33/ft.

LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
5'	011383	—	200	6.65	
5'6"	011384	—	200	7.32	
6'	011385	034913	200	7.98	
6'6"	011386	034914	200	8.65	
7'	011387	034875	200	9.31	
7'6"	011388	—	200	9.98	
8'	011389	034916	200	10.64	
10'	001Y00	614C00	200	13.30	

Galvanized - Import / Heavy Weight 1.33/ft.


LENGTH	PART NO. W/O CLIP	PART NO. WITH CLIP	BUNDLE QTY	WEIGHT EA.	NOTES
5'	011376	011470	200	6.65	
5'6"	011377	011471	200	7.32	
6'	011378	011472	200	7.98	
6'6"	011379	011473	200	8.65	
7'	011380	011474	200	9.31	
7'6"	011381	011475	200	9.98	
8'	011382	011476	200	10.64	
10'	011538	011537	200	13.30	

T Post Accessories

DESCRIPTION	PART NO.	WEIGHT EA.	NOTES
T Post Clips 12 ga.	023656	0.02	
Sr. T Post Clips Class 3	034822	0.02	
Easy Twist Tie 11 ga.	582W00	0.01	

T Post Angle Braces

DESCRIPTION	PART NO.	WEIGHT EA.	NOTES
2" x 2" x 7' - Green	034905	22.33	
2-1/2" x 2-1/2" x 7' - Green	034906	28.70	
1/2" x 1-1/2" Hex Nut and Bolt	020750	0.15	



Wood Posts

2-1/2" to 3" Diameter Treated Pine Posts / 0.40 CCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
6' 6"	012430	12.17	

3" to 3-1/2" Diameter Treated Pine Posts / 0.40 CCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
6' 6"	011465	26.63	

3-1/2" to 4" Diameter Treated Pine Posts / 0.40 CCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
6' 6"	011466	32.53	

4" to 5" Diameter Treated Pine Posts / 0.40 CCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
6' 6"	011467	38.20	
7'	011545	56.40	
8'	011468	73.00	


5" to 6" Diameter Treated Pine Posts / 0.40 CCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
7'	011547	76.00	
8'	011469	96.00	
10'	374Y00	49.50	

6" to 7" Diameter Treated Pine Posts / 0.40 CCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
8'	011549	125.00	

NOTE: 0.40 CCA (Chromated Copper Arsenate) is treated for ground contact.



4-1/2" Diameter Treated Pine Posts / ACQ • Doweled Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
8'	011577	42.00	

5-1/2" Diameter Treated Pine Posts / ACQ • Doweled Blunt End



LENGTH	PART NO.	WEIGHT EA.	NOTES
12'	011582	98.00	

6-1/2" Diameter Treated Pine Posts / ACQ • Doweled Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
8'	011583	83.00	
10'	011584	110.00	

8" to 9" Diameter Treated Pine Posts / ACQ • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
12'	011588	215.00	



NOTE: ACQ (Alkaline Copper Quaternary) is treated for ground contact.

Wood Posts and Rail

3-1/2" to 4" Diameter Treated Pine Posts/ MCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
7'	011562	26.00	
8'	011564	30.00	

4" to 5" Diameter Treated Pine Posts/ MCA • Doweled Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
7'	598Y00	28.00	
8'	599Y00	32.00	

4" to 5" Diameter Treated Pine Posts/ MCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
7'	011566	28.00	
8'	011568	32.00	

4-1/2" to 5" Diameter Treated Pine Posts / MCA • Tapered Blunt End

LENGTH	PART NO.	WEIGHT EA.	NOTES
10'	011570	62.00	
12'	011572	75.00	


6" to 7" Diameter Treated Pine Posts / MCA • Doweled Blunt End


LENGTH	PART NO.	WEIGHT EA.	NOTES
8'	600Y00	120.00	

Corral Rail / MCA

LENGTH	PART NO.	WEIGHT EA.	NOTES
1" x 6" x 16'	272Y00	35.00	

NOTE: MCA (Micronized Copper Azole) is treated for ground contact.





Treated Pine Rails / ACQ • For Doweled Rail System

DESCRIPTION	PART NO.	DIAMETER	WEIGHT EA.	NOTES
3-1/2" Diameter x 8' L	012166	3-1/2"	26.00	
4-1/2" Diameter x 8' L	012167	4-1/2"	42.00	
4-1/2" Diameter x 10' L	012168	4-1/2"	57.00	

Treated Pine Posts for 1 Rail System / ACQ • For Doweled Rail System

DESCRIPTION	PART NO.	DIAMETER	WEIGHT EA.	NOTES
7' Line Post - Dome Top	012169	5-1/2"	52.00	
7' End Post - Dome Top	012170	6-1/2"	72.00	
7' Corner Post - Dome Top	012171	6-1/2"	72.00	
8' Line Post - Dome Top	012172	5-1/2"	52.00	
8' End Post - Dome Top	012173	6-1/2"	72.00	
8' Corner Post - Dome Top	012174	6-1/2"	72.00	

Treated Pine Posts for 2 Rail System / ACQ • For Doweled Rail System

DESCRIPTION	PART NO.	DIAMETER	WEIGHT EA.	NOTES
5' 6" Line Post - Dome Top	012175	5-1/2"	37.00	
5' 6" End Post - Dome Top	012176	6-1/2"	51.00	
5' 6" Corner Post - Dome Top	012177	6-1/2"	51.00	

Treated Pine Posts for 3 Rail System / ACQ • For Doweled Rail System

DESCRIPTION	PART NO.	DIAMETER	WEIGHT EA.	NOTES
7' Line Post - Dome Top	012181	5-1/2"	52.00	
7' End Post- Dome Top	012182	6-1/2"	72.00	
7' Corner Post- Dome Top	012183	6-1/2"	72.00	
7' Line Post - Flat Top	012178	5-1/2"	52.00	
7' End Post- Flat Top	012179	6-1/2"	72.00	
7' Corner Post- Flat Top	012180	6-1/2"	72.00	


Treated Pine Posts for 4 Rail System / ACQ • For Doweled Rail System

DESCRIPTION	PART NO.	DIAMETER	WEIGHT EA.	NOTES
8' Line Post - Flat Top	012184	5-1/2"	60.00	
8' End Post- Flat Top	012185	6-1/2"	82.00	
8' Corner Post- Flat Top	012186	6-1/2"	82.00	

Staples


Fence Staples / Bezinal Coating • 8 ga.

DESCRIPTION	PART NO.	CARTON WEIGHT	NOTES
1-1/2" Double Barbed Staple - Bezinal coating	334A00	8.00	




Fence Staples / Class 3 • 8 ga.

DESCRIPTION	PART NO.	CARTON WEIGHT	NOTES
1-1/4" Single Barbed Staple	705Y00	10.00	
1-1/2" Double Barbed Staple	476Y00	50.00	
1-3/4" Double Barbed Staple	011720	50.00	
1-3/4" Double Barbed Staple	011636	8.00	



Fence Staples / Commercial Galvanized • 8 ga.

DESCRIPTION	PART NO.	CARTON WEIGHT	NOTES
1-1/4" Double Barbed Staple	011489	50.00	
1-1/2" Knurled Staple	080173	50.00	
1-3/4" Double Barbed Staple	011490	50.00	



High Tensile Electric Fence Wire / Steel

Single cartons

DESCRIPTION	PART NO	GAUGE	FT PER COIL	WEIGHT EA.	NOTES
170,000 PSI Class 3	011274	12-1/2	4000'	100.00	
200,000 PSI Class 3	011276	12-1/2	4000'	100.00 lb	
170,000 PSI A05 Spec	011275	12-1/2	4000'	100.00 lb	

NOTE: Lengths are approximate



Electric Fence Wire - Import / Steel

Coils per pallet: 5

DESCRIPTION	PART NO	GAUGE	FT PER COIL	WEIGHT EA.	NOTES
17 ga. 1/4 Mile	011519	17	1320'	10.12	
17 ga. 1/2 Mile	011520	17	2640'	20.25	
14 ga. 1/4 Mile	011521	14	1320'	48.00	
14 ga. 1/2 Mile	011522	14	2640'	96.00	

NOTE: Lengths are approximate.



High Tensile Barb Wire - Domestic / Class 3 Galvanized • Meets ASTM A 121

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
2 pt. 15-1/2 ga. 5" Barb Spacing	011592	1320'	42.00 lb	
4 pt. 15-1/2 ga. 5" Barb Spacing	013499	1320'	45.00	
4 pt 15-1/2 ga. 3" Barb Spacing	408W00	1320'	80.00 lb	



Barb Wire - Domestic / Class 3 Galvanized • Meets ASTM A 121

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
2 pt. 12-1/2 ga. 4" Barb Spacing	011591	1320'	83.00 lb	
4 pt. 12-1/2 ga. 5" Barb Spacing	013505	1320'	88.00 lb	



Barb Wire, Spec - Domestic / Class 1 Galvanized • Meets ASTM A 121

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY. PER REEL	WEIGHT EA.	NOTES
2 pt. 12-1/2 ga. 4" Barb Spacing	006321	1320'	82.00	
4 pt. 12-1/2 ga. 5" Barb Spacing	013506	1320'	88.00	



Barbless Wire

Barb Wire, Non-Spec - Domestic / Class 1 Galvanized

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
2 pt. 12-1/2 ga. 5" Barb Spacing Flat Barbs	887Y00	1320'	81.00	
2 pt. 12-1/2 ga. 5" Barb Spacing	013504	1320'	78.00	



Barb Wire, Non-Spec - Domestic / Commercial Galvanized

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
2 pt. 12-1/2 ga.	011593	1320'	68.00	
4 pt. 12-1/2 ga.	013503	1320'	82.00	



Barb Wire, Non-Spec - Import / Commercial Galvanized

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY. PER REEL	WEIGHT EA.	NOTES
2 pt 12-1/2 ga. Flat Barbs	013502	1320'	69.00 lb	
4 pt 12-1/2 ga.	013501	1320'	77.00	



Barbless Wire - Domestic

Reels per pallet: 32

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
12-1/2 ga. Class 3	011594	1320'	72.00 lb	
12-1/2 ga. Class 1	013534	1320'	62.00	
12-1/2 ga. Commercial	011595	1320'	64.00 lb	



Barbless Wire - Import / Class 1 Galvanized

Reels per pallet: 32

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
14-1/2 ga.	013532	1320'	44.01	
12-1/2 ga.	013531	1320'	62.00	



Fence Stays / Class 1 Galvanized • 9-1/2 ga.

DESCRIPTION	PART NO.	WEIGHT EA.	NOTES
24"	018Y00	0.25	
36"	013529	0.35	
42"	013516	0.41	
48"	013521	0.46	



Fence Stays / Commercial Galvanized • 9-1/2 ga.

DESCRIPTION	PART NO.	WEIGHT EA.	NOTES
42"	011374	2.10	
48"	011375	2.40	




Gripples

DESCRIPTION	PART NO.	FOR WIRE GAUGES	FOR WIRE TYPE	WEIGHT EA.	NOTES
Small Gripple	632909	17 to 14	Fence Wire	.004	
Medium Gripple	036271	14 to 10	Fence Wire	.060	
Large Gripple	633139	12-1/2	Fence and Barb Wire	.600	
Gripple T-Clip #1	036999	14 to 10	Fence Wire	.060	
Gripple T-Clip #2	632919	12-1/2	Fence and Barb Wire	.249	
Gripple Torque Tensioning Tool (600 lbs pull)	633149	N/A	N/A	2.60	



For fence wire



For barb wire


NOTE: Fence wire is also known as slick wire or barbless wire.

Nico Press Splicing Sleeves

100 sleeves per carton

DESCRIPTION	PART NO.	FOR FENCE WIRE GAUGES	FOR BARB WIRE GAUGES	WEIGHT CTN.	NOTES
Small Sleeve	070005	12-1/2	N/A	0.75	
Medium Sleeve	070006	11 to 10	14	1.75	
Large Sleeve	070007	9	13-1/2 to 12-1/2	2.50	
Nico Press Splicing Tool	070001	N/A	N/A	5.00	

NOTE: Fence wire is also known as slick wire or barbless wire.




Woven Field Fence

High Tensile Field Fence - Hinge Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
726 - 6 - 14-1/2 ga	056508	26"	7	6"	74.00	
1047 - 6 - 14-1/2 ga.	056587	47"	10	6"	120.00	
1047 - 6 - 12-1/2 ga.	056574	47"	10	6"	151.00	



High Tensile Field Fence - Import - Hinge Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 12-1/2 ga.	011516	47"	10	6"	180.00	



Field Fence - Hinge Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	056575	32"	8	6"	155.00	
1047 - 6 - 11 ga.	056576	47"	10	6"	190.00	
1047 - 6 - 9 ga.	056560	47"	10	6"	450.00	



Field Fence - Hinge Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	036180	32"	8	6"	132.00	
939 - 6 - 12-1/2 ga.	056562	39"	9	6"	168.00	
1047 - 6 - 12-1/2 ga.	036178	47"	10	6"	175.00	
1156 - 6 - 12-1/2 ga.	056579	56"	11	6"	237.00	



Field Fence - Domestic - Hinge Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
726 - 6 - 12-1/2 ga.	020628	26"	7	6"	128.00	
832 - 6 - 12-1/2 ga.	020630	32"	8	6"	147.00	
1047 - 6 - 12-1/2 ga.	020634	47"	10	6"	190.00	



Field Fence - Import - Hinge Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	011513	32"	8	6"	132.00	
939 - 6 - 12-1/2 ga.	011514	39"	9	6"	170.00	
1047 - 6 - 12-1/2 ga.	011515	47"	10	6"	120.00	



Field Fence - Hinge Knot / Commercial Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	020674	32"	8	6"	147.00	
939 - 6 - 12-1/2 ga.	020676	39"	9	6"	168.00	
1156 - 6 - 12-1/2 ga.	020680	56"	11	6"	223.00	



Field Fence - Square Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	056506	32"	8	6"	150.00	
939 - 6 - 12-1/2 ga.	056507	39"	9	6"	163.00	
1047 - 6 - 12-1/2 ga.	056535	47"	10	6"	183.00	




Woven Farm Field Fence

Farm Field Fence - Import - Hinge Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 14-1/2 ga.	011518	47"	10	6"	93.00	



Farm Field Fence - Hinge Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
939 - 6 - 12-1/2 ga.	036192	39"	9	6"	170.00	



Farm Field Fence - Square Knot / Commercial Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	011368	32"	8	6"	147.00	
939 - 6 - 12-1/2 ga.	011369	39"	9	6"	168.00	
1047 - 6 - 12-1/2 ga.	011370	47"	10	6"	188.00	



High Tensile Farm Field Fence - Fixed Knot / Commercial Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 12-1/2 ga.	011632	47"	10	6"	183.00	
1156 - 6 - 12-1/2 ga.	011633	56"	11	6"	205.00	



High Tensile Farm Coastal Fence - Hinge Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 8


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 13 ga.	011273	47"	10	6"	146.00	



High Tensile Farm Coastal Fence - Square Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 9

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 13 ga.	011517	47"	10	6"	97.00	




Woven Wildlife and Game Fence

High Tensile Wildlife Fence - Fixed Knot / Beznal Coating

Feet per roll: 330
Rolls per pallet: 6


STYLE	PART NO. BLACK	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
2096 - 6 - 12-1/2 ga.	588V00	96"	20	6"	396.00	



High Tensile Wildlife Fence - Fixed Knot / Class 3 Galvanized

Feet per roll: 330
Single roll

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1348 - 6 - 12-1/2 ga.	036231	48"	13	6"	240.00	
1561 - 6 - 12-1/2 ga.	036951	61"	15	6"	279.00	
1775 - 6 - 12-1/2 ga.	036239	75"	17	6"	332.00	
2096 - 6 - 12-1/2 ga.	036230	96"	20	6"	414.00	
2096 - 12 - 12-1/2 ga.	036229	96"	20	12"	276.00	




Feet per roll: 660

1348 - 12 - 12-1/2 ga.	011267	48"	13	12"	339.00	
949 - 12 - 12-1/2 ga.	011250	49"	9	12"	260.00	

High Tensile Game Fence - Hinge Knot / Commercial Galvanized

Feet per roll: 330

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1896 - 6 - 12-1/2 ga.	011634	96"	18	6"	350.00	



Splicing Sleeve for Wildlife Fence / 12-1/2 ga.


STYLE	PART NO.	BOX QTY	WEIGHT EA.	NOTES
Long Sleeve	700Y00	100	1.00	



Sheep and Goat Fence - Hinge Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 4


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1348 - 4 - 12-1/2 ga.	012407	48"	13	4"	289.00	



Sheep and Goat Fence - Hinge Knot / 4"W x 4"H Mesh • Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 4


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1348 - 4 - 12-1/2 ga.	036028	48"	13	4"	261.00	
1660 - 4 - 12-1/2 ga.	031V00	60"	16	4"	180.00	



Sheep and Goat Fence - Square Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 8

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1348 - 4 - 12-1/2 ga.	888Y00	48"	13	4"	262.00	



Woven Non-Climb Horse Fence


Non-Climb Horse Fence - Square Knot / 2"W x 4"H Mesh • Bezinial Coating

Feet per roll: 100
Rolls per pallet: 11

STYLE	PART NO.	HEIGHT	HORIZONTAL GAUGE	VERTICAL GAUGE	WEIGHT EA.	NOTES
36" H	011599	36"	10	12-1/2	94.00	
48" H	036184	48"	12-1/2	14	122.00	
60" H	036188	60"	12-1/2	14	151.00	
72" H	036189	72"	12-1/2	14	179.00	

Feet per roll: 200
Rolls per pallet: 6

48" H	011268	48"	10	12-1/2	244.00	
60" H	011269	60"	10	12-1/2	296.00	




Non-Climb Horse Fence - Square Knot / 2"W x 4"H Mesh • Class 3 Galvanized

Feet per roll: 100
Rolls per pallet: 8

STYLE	PART NO.	HEIGHT	HORIZONTAL GAUGE	VERTICAL GAUGE	WEIGHT EA.	NOTES
60" H	011488	60"	10	12-1/2	154.00	

Feet per roll: 200
Rolls per pallet: 4


48" H	011487	48"	10	12-1/2	247.00	
60" H	036195	60"	10	12-1/2	302.00	



Non-Climb Horse Fence - Square Knot / 2"W x 4"H Mesh • Class 1 Galvanized

Feet per roll: 100


STYLE	PART NO.	HEIGHT	HORIZONTAL GAUGE	VERTICAL GAUGE	WEIGHT EA.	NOTES
36" H	011599	36"	10	12-1/2	94.00	



Non-Climb Horse Fence - Square Knot / 2"W x 4"H Mesh • Commercial Galvanized

Feet per roll: 100
Rolls per pallet: 8


STYLE	PART NO.	HEIGHT	HORIZONTAL GAUGE	VERTICAL GAUGE	WEIGHT EA.	NOTES
48" H	011371	48"	10	12-1/2	122.00	
60" H	011372	60"	10	12-1/2	151.00	
70" H	011373	72"	10	12-1/2	179.00	



Utility Welded Wire Fabric - Domestic / 14 ga.

Feet per roll: 50
Rolls per pallet: 16

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE	GAUGE	WEIGHT EA.	NOTES
			W x H			
2" x 4" x 36"	056355	36"	2" x 4"	14	24.00	
2" x 4" x 48"	056360	48"	2" x 4"	14	31.50	
2" x 4" x 60"	056365	60"	2" x 4"	14	39.00	
2" x 4" x 72"	056370	72"	2" x 4"	14	47.00	




Feet per roll: 100
Rolls per pallet: 9

2" x 4" x 36"	036123	36"	2" x 4"	14	41.00	
2" x 4" x 48"	036124	48"	2" x 4"	14	60.00	
2" x 4" x 60"	036125	60"	2" x 4"	14	76.00	
2" x 4" x 72"	036126	72"	2" x 4"	14	89.00	

Utility Welded Wire Fabric - Import / 14 ga.

Feet per roll: 50
Rolls per pallet: 16

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE	GAUGE	WEIGHT EA.	NOTES
			W x H			
2" x 4" x 36"	011492	36"	2" x 4"	14	24.00	
2" x 4" x 48"	011494	48"	2" x 4"	14	31.50	
2" x 4" x 60"	011496	60"	2" x 4"	14	39.00	
2" x 4" x 72"	011498	72"	2" x 4"	14	47.00	



Feet per roll: 100
Rolls per pallet: 9

2" x 4" x 36"	011493	36"	2" x 4"	14	41.00	
2" x 4" x 48"	011495	48"	2" x 4"	14	60.00	
2" x 4" x 60"	011497	60"	2" x 4"	14	76.00	
2" x 4" x 72"	011703	72"	2" x 4"	14	89.00	

Welded Wire Fabric

Utility Welded Wire Fabric / 12-1/2 ga.

Feet per roll: 50
Rolls per pallet: 16

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE	GAUGE	WEIGHT EA.	NOTES
			W x H			
2" x 4" x 36"	056382	36"	2" x 4"	12-1/2	36.00	
2" x 4" x 48"	056384	48"	2" x 4"	12-1/2	48.00	
2" x 4" x 60"	056386	60"	2" x 4"	12-1/2	59.50	
2" x 4" x 72"	056388	72"	2" x 4"	12-1/2	70.50	

Feet per roll: 100
Rolls per pallet: 9

2" x 4" x 36"	056651	36"	2" x 4"	12-1/2	72.00	
2" x 4" x 48"	056652	48"	2" x 4"	12-1/2	96.00	
2" x 4" x 60"	056653	60"	2" x 4"	12-1/2	119.00	
2" x 4" x 72"	056654	72"	2" x 4"	12-1/2	141.00	

Utility Welded Wire Fabric - Domestic

Feet per roll: 50

DESCRIPTION	PART NO. GREEN	PART NO. BLACK	PART NO. BROWN	GAUGE	WEIGHT EA.	NOTES
2" x 4" x 60"	—	517603	—	14	38.00	
1" x 1" x 48"	518801	518802	—	15	30.00	

Feet per roll: 100

1" x 1" x 36"	—	056723	—	14	50.00	
2" x 3" x 48"	056711	056712	—	14	19.00	
1-1/2" x 4" x 48"	518791	518792	—	14	74.50	
2" x 4" x 60"	517733	517602	—	14	76.00	

Utility Welded Wire Fabric - Import

Feet per roll: 50

DESCRIPTION	PART NO. GREEN	PART NO. BLACK	PART NO. BROWN	GAUGE	WEIGHT EA.	NOTES
2" x 4" x 36"	056721	011534	011511	14	23.00	
2" x 4" x 48"	056741	056742	011512	14	30.00	

Feet per roll: 100

2" x 4" x 36"	056731	056732	056733	14	46.00	
2" x 4" x 48"	056751	056752	056753	14	60.00	

Poultry-Rabbit Fence / Commercial Galvanized

Feet per roll: 50
Rolls per pallet: 25


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
2360 -6 - 14-1/2 ga.	056503	60"	23	6"	79.00	
2672 - 6 - 14-1/2 ga.	056504	72"	26	6"	114.00	

	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	3-1/4"
	2-3/4"
	2-3/8"
	2"
	1-3/4"
	1-1/2"
	1-1/4"
	1-1/8"
	1"
	1"
	1"

Yard, Garden, and Kennel Fence - Square Knot / Galvanized Steel

Feet per roll: 100


STYLE	PART NO.	HEIGHT	MESH SIZE	GAUGE	WEIGHT EA.	NOTES
2" x 2" x 48" 16ga.	000X27	48"	2" x 2"	16	64.00	



Hardware Cloth

Feet per roll: 100


DESCRIPTION	PART NO.	HEIGHT	MESH SIZE	GAUGE	WEIGHT EA.	NOTES
			W x H			
1/4" x 1/4" x 36"	008520	36"	1/4" x 1/4"	23	45.18	
1/4" x 1/4" x 48"	008527	48"	1/4" x 1/4"	23	60.26	



Hardware Cloth

Feet per roll: 100

DESCRIPTION	PART NO. BLACK	HEIGHT	MESH SIZE W x H	GAUGE	WEIGHT EA.	NOTES
1/4" x 1/4" x 24"	009030	24"	1/4" x 1/4"	23	36.50	
1/4" x 1/4" x 36"	008761	36"	1/4" x 1/4"	23	45.18	
1/2" x 1/2" x 36"	236T00	36"	1/2" x 1/2"	19	44.00	
1/4" x 1/4" x 48"	008762	48"	1/4" x 1/4"	23	60.26	
1/2" x 1/2" x 48"	533Y00	48"	1/2" x 1/2"	19	84.00	



Panels

Hog Panel / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
34" x 16'	036131	34"	11	4	29.00	

	6"
	6"
	5"
	4"
	3"
	2"
	2"
	2"

Sheep and Goat Panel / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
42" x 16'	484B00	42"	13	4	51.00	

	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"

Combo Panel / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
50" x 16'	056322	50	13	4	42.00	

	6"
	6"
	6"
	6"
	6"
	6"
	4"
	3"
	3"
	2"
	2"

Cattle Panel / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
50" x 16'	000V11	50"	10	4	35.00	

	6"
	6"
	6"
	6"
	6"
	6"
	6"
	6"
	4"

Utility Panels / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
48" x 16'	006216	48"	16	6	38.00	
60" x 16'	011635	60"	16	6	49.00	
60" x 20'	287Y00	60"	16	6	59.00	

	6"
	6"
	6"
	6"
	6"
	6"
	4"
	4"


Horse Panels / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
60" x 16'	000P81	60"	16	6	70.19	
68" x 24'	023315	68"	18	6	111.93	

	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"


Universal Post Plate / Pressed Steel - Galvanized

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.	NOTES
Universal	023665	100	0.33	



Dual Post Cap / Pressed Steel - Galvanized

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.	NOTES
Universal	023666	50	0.70	




Cap Weld On Cattle Panel / Pressed Steel - Galvanized

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.	NOTES
1-5/8"	011611	100	0.05	
1-7/8"	011612	50	0.07	



K-Bar Latch / Steel - Galvanized

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.	NOTES
Universal w 1-5/8" Band	023672	5	2.70	
Left Hand Mount	023676	5	2.45	
Right Hand Mount	023677	5	2.39	




Farm Gates

Farm Gate 6 Rail - Import / 1-3/4" Diameter Tube Frame

DESCRIPTION	PART NO.	HEIGHT	TUBE GAUGE	WEIGHT EA.	NOTES
4' Wide	011553	50"	19	17.00	
6' Wide	011554	50"	19	26.00	
8' Wide	011528	50"	19	34.00	
10' Wide	011529	50"	19	42.00	
12' Wide	011530	50"	19	51.00	
14' Wide	011531	50"	19	60.00	
16' Wide	011532	50"	19	69.00	
18' Wide	011533	50"	19	78.00	


NOTE: Includes hardware.



Farm Gate 6 Rail / 1-3/4" Diameter Welded Steel Tube Construction • 10" Horizontal Bar Spacing

DESCRIPTION	PART NO.	HEIGHT	TUBE GAUGE	WEIGHT EA.	NOTES
4' Wide	036004	50"	19	18.00	
6' Wide	036005	50"	19	26.00	
8' Wide	036006	50"	19	35.00	
10' Wide	036007	50"	19	43.00	
12' Wide	036008	50"	19	51.00	
14' Wide	036009	50"	19	60.00	
16' Wide	036010	50"	19	68.00	
18' Wide	036011	50"	19	78.00	

NOTE: Includes 2 hinges with 5/8" x 6" screw hooks.
Does not include 5/8" x 12" hinge bolt.



Farm Gate 6 Rail / 2" Diameter Tube Frame • Green Powder Coated

DESCRIPTION	PART NO.	HEIGHT	TUBE GAUGE	WEIGHT EA.	NOTES
10' Wide - Green	021083	50"	16	43.00	
12' Wide - Green	021084	50"	16	51.00	
14' Wide - Green	021085	50"	16	60.00	
16' Wide - Green	021086	50"	16	68.00	

NOTE: Includes hardware.
Out-to-out is 4" shorter than gate opening width shown above



Wire-Filled Farm Gates / 1-3/4" 18 ga. Diameter Tube Frame • Gray Powder Coated

DESCRIPTION	PART NO.	HEIGHT	WIRE HEIGHT	WEIGHT EA.	NOTES
4' Wide - Gray	020540	50"	34"	27.00	
6' Wide - Gray	020542	50"	34"	35.00	
8' Wide - Gray	020544	50"	34"	45.00	
10' Wide - Gray	020546	50"	34"	54.00	
12' Wide - Gray	020548	50"	34"	61.00	
14' Wide - Gray	020550	50"	34"	71.00	
16' Wide - Gray	020552	50"	34"	83.00	

NOTE: Includes 2 hinges with 5/8" x 6" law screws.


NOTE: Out-to-out is 4" shorter than gate opening width shown above



Wire-Filled Farm Gates - Import / 1-3/4" 19 ga. Galvanized Tube

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE	WEIGHT EA.	NOTES
			W X H		
4' Wide	011711	50"	2" x 4"	26.00	
6' Wide	011712	50"	2" x 4"	35.00	
8' Wide	011713	50"	2" x 4"	44.00	
10' Wide	011714	50"	2" x 4"	53.00	
12' Wide	011715	50"	2" x 4"	61.00	
14' Wide	011716	50"	2" x 4"	72.00	
16' Wide	011717	50"	2" x 4"	83.00	

NOTE: With hardware




Kennels

Hound Surround Kennel Panels / 1-3/8" galvanized tubing • Panels include two clamps

DESCRIPTION	PART NO.	WEIGHT EA.	NOTES
4' High			
6' Wide Side/End Panel	070997	23.00	
8' Wide Side/End Panel	070994	30.00	
10' Wide Side/End Panel	070999	34.00	
6' Wide Gate Panel	070998	36.00	
6' High			
6' Wide Side/End Panel	071005	29.00	
10' Wide Side/End Panel	071014	45.00	
12' Wide Side/End Panel	071015	51.00	
6' Wide Gate Panel	071010	49.00	
10' Wide Gate Panel	071012	60.00	


NOTE: Very large or aggressive animals may require commercial grade enclosures.



Commercial Grade Kennel Panels / 1-3/8" 16 ga. galvanized tubing • 11 ga. wire mesh

DESCRIPTION	PART NO.	WEIGHT EA.	NOTES
5' High			
4' Wide Side/End Panel	070931	35.00	
6' Wide Side/End Panel	070932	45.00	
8' Wide Side/End Panel	070933	53.00	
10' Wide Side/End Panel	070934	62.00	
12' Wide Side/End Panel	070935	80.00	
14' Wide Side/End Panel	070937	90.00	
4' Wide Gate Panel	070936	55.00	
6' Wide Gate Panel	070938	72.00	
6' High			
4' Wide Side/End Panel	070941	40.00	
6' Wide Side/End Panel	070942	51.00	
8' Wide Side/End Panel	070943	61.00	
10' Wide Side/End Panel	070944	70.00	
12' Wide Side/End Panel	070945	89.00	
14' Wide Side/End Panel	070947	101.00	
4' Wide Gate Panel	070946	60.00	
6' Wide Gate Panel	070948	80.00	

NOTE: Panels include 2 clamps.




Saddle Clamps / Without bolts • Approximately 1-1/8" spacing between frames

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.	NOTES
1-3/8" x 1-3/8"	015511	100	0.59	

Use 5/16" x 1-1/4" Carriage Bolt – Pt. #010701

1-5/8" x 1-5/8"	015512	50	0.71	
1-7/8" x 1-7/8"	015513	50	0.76	

Use 3/8" x 1-1/4" Carriage Bolt – Pt. #010703




Panel Clamps / Without bolts • Approximately 3/8" spacing between frames

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.	NOTES
1-3/8" x 1-3/8"	015516	100	0.50	

Use 3/8" x 2-1/4" Carriage Bolt – Pt. #010707

1-5/8" x 1-5/8"	015517	50	0.67	
1-7/8" x 1-7/8"	015518	50	0.75	
2-3/8" x 1-5/8"	015519	50	0.82	


Use 3/8" x 3" Carriage Bolt – Pt. #010710



Kennel Flip Latch / Pressed Steel – Galvanized • Includes bolts and nuts • 7/8" Clearance

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.	NOTES
1-3/8" x 1-3/8" - Poly Bag	016550	10	1.00	
1-3/8" x 1-3/8" - Bulk	016551	50	1.00	

NOTE:Patent No. 3,907,345




Kennel Hinge / Pressed Steel – Galvanized • For square welded gates

DESCRIPTION	PART NO.	PER SACK	WEIGHT EA.	NOTES
1-3/8"	014451	50	0.49	

Use 5/16" x 2" Carriage Bolt – Pt. #010715

NOTE:This Hinge reduces clearance between Frame and Gate to approximately 3/8".
The Gate itself (one side) becomes a part of the Hinge Assembly, and takes the place of the regular Frame Hinge.



Kennel Lacing Tool


DESCRIPTION	PART NO.	WEIGHT EA.	NOTES
Kennel Lacing Tool	023556	0.94	

Plastic and Wood Slat Fence

Barrier Fence / Diamond Mesh

Feet per roll: 100

DESCRIPTION	PART NO. ORANGE	HEIGHT	MESH SIZE W x H	WEIGHT EA.	NOTES
Lightweight	008431	48"	3-3/4" x 1-1/4"	9.50	



Silt Fence / Black plastic with stakes

Feet per roll: 100

DESCRIPTION	PART NO.	HEIGHT	STAKE SPACING	WEIGHT EA.	NOTES
1-1/2" x 1-1/2" x 48" H Stakes	008755	36"	10'	21.00	



Snow Fence / 15 ga.

Feet per roll: 50

DESCRIPTION	PART NO.	HEIGHT	SLATS THICKNESS X WIDTH	WEIGHT EA.	NOTES
4-wire with wood slats	054204	48"	3/8" x 1-1/2"	85.00	

