



ISO 2858 STANDARD END SUCTION CENTRIFUGAL PUMPS

- Superior hydraulic design for higher efficiencies and reduced running cost
- Back pullout design allows removal of pump rotating element without removal of motor or suction and discharge lines for maintenance

Engine make	Engine Model	Engine Operating Speed (RPM)	Max Engine Power at Operating Speed (kW)	Pump Size	Nominal Duty	Drive Type
Lister Petter	LPW4	2400	17.0	65x40x200	10l/s @ 44m	Direct
Caterpillar	C1.1	2400	13.0			Direct
Deutz	F2L 2011	2400	18.0			Direct
Yanmar	3TNV84T	2400	22.5	65x40x250	10l/s @ 62m	Direct
Caterpillar	C1.5	2400	18.0			Direct
Deutz	F2L 2011	2400	18.0			Direct
Yanmar	3TNV84T	2400	22.5	65x40x315	10l/s @ 95m	Direct
Caterpillar	C2.2NA	2400	29.0			Direct
Deutz	F3L 2011	2400	28.0			Direct
Yanmar	3TNV84T	2400	22.5	80x50x200	18l/s @ 42m	Direct
Caterpillar	C1.5	2400	18.0			Direct
Deutz	F2L 2011	2400	22.0			Direct
Yanmar	4TNV84T	2400	30.1	80x50x250	20l/s @ 63m	Direct
Caterpillar	C2.2T	2400	35.0			Direct
Deutz	F3L 2011	2400	34.0			Direct
Yanmar	4TNV98	2400	41.0	80x50x315	18l/s @ 100m	Direct
Caterpillar	C2.2TA	2400	39.0			Direct
Deutz	F4L 2011	2400	40.0			Direct





ISO 2858 STANDARD END SUCTION CENTRIFUGAL PUMPS

- Superior hydraulic design for higher efficiencies and reduced running cost
- Back pullout design allows removal of pump rotating element without removal of motor or suction and discharge lines for maintenance

Engine make	Engine Model	Engine Operating Speed (RPM)	Max Engine Power at Operating Speed (kW)	Pump Size	Nominal Duty	Drive Type
Yanmar	4TNV84T	2400	30.1	100x65x200	32l/s @ 42m	Direct
Caterpillar	C2.2T	2400	35.0			Direct
Deutz	F3L 2011	2400	30.0			Direct
Yanmar	4TNV98	2400	44.0	100x65x250	36l/s @ 62m	Direct
Caterpillar	C2.2TA	2400	39.0			Direct
Deutz	F4L 2011	2400	40.0			Direct
John Deere	4045 TI	2400	74.0	100x65x315	36l/s @ 100m	Direct
Caterpillar	3054 TA	2400	61.0			Direct
Deutz	F6L 914	1800	40.0	125x80x400		Direct
Yanmar	4TNV84T	2400	30.1	125x100x200	45l/s @ 40m	Direct
Caterpillar	C2.2T	2400	35.0			Direct
Deutz	F3L 2011	2400	34.0			Direct
Yanmar	4TNV98T	2400	56.0	125x100x250	50l/s @ 60m	Direct
Caterpillar	3054 CT	2400	61.0			Direct
Deutz	F4L 914	1800	50.0	125x100x315		Direct
Yanmar	4TNV98	2400	45.1	125x100x200	60l/s @ 40m	Direct
Caterpillar	C 2.2 TA	2400	39.1			Direct
Deutz	F4L 2011	2400	40			Direct





ISO 2858 STANDARD END SUCTION CENTRIFUGAL PUMPS

- Superior hydraulic design for higher efficiencies and reduced running cost
- Back pullout design allows removal of pump rotating element without removal of motor or suction and discharge lines for maintenance

Engine make	Engine Model	Engine Operating Speed (RPM)	Max Engine Power at Operating Speed (kW)	Pump Size	Nominal Duty	Drive Type
John Deere	4045 TI	2400	74.0	125x100x250	70l/s @ 60m	Direct
Caterpillar	3054 CT	2400	61.0			Direct
Deutz	BF4L 914	2200	72.0			Direct
John Deere	4045 H	2200	83.0	125x100x315	70l/s @ 80m	Direct
Caterpillar	C4.4	2200	82.0			Direct
Deutz	BF4L 914	2200	72.0			Direct
John Deere	4045 TI	2000	67.0	150x125x250	100l/s @ 40m	Direct
Caterpillar	3054 CT	2000	61.0			Direct
Deutz	BF4L 914	2000	68.0			Direct
John Deere	6068 T2	2000	111.0	150x125x315	100l/s @ 60m	Direct
Caterpillar	C7.1 M	2000	108.0			Direct
Deutz	BF4L 914	2200	72.0			Direct
John Deere	6068 HF 475	1900	166	200x150x400	100l/s @ 100m	Direct
Caterpillar	C7 ACERT	1900	160.0			Direct
Deutz	BF6M 1013 FC	1800	175			Direct
John Deere	NA	NA	NA	200x150x315	150l/s @ 40m	Direct
Caterpillar	NA	NA	NA			Direct
Deutz	F6L 914	1900	75			Direct





ISO 2858 STANDARD END SUCTION CENTRIFUGAL PUMPS

- Superior hydraulic design for higher efficiencies and reduced running cost
- Back pullout design allows removal of pump rotating element without removal of motor or suction and discharge lines for maintenance

Engine make	Engine Model	Engine Operating Speed (RPM)	Max Engine Power at Operating Speed (kW)	Pump Size	Nominal Duty	Drive Type
John Deere	6068 H2	1900	137.0	250x200x315	150l/s @ 60m	Direct
Caterpillar	C7 ACERT	1900	137.0			Direct
Deutz	BF6M 1013 FC	1500	1520			Direct
John Deere	6135 HI	1900	344.0	250x200x400	150l/s @ 100m	Direct
Caterpillar	C11 ACERT	1900	252.0			Direct
Deutz	NA	NA	NA			Direct
John Deer	6068 HF 475	1800	157.0	250x200x315	200l/s @ 40m	Direct
Caterpillar	NA	NA	NA			Direct
Deutz	BF6L 914	1800	108.0			Direct
John Deere	6135 HI	1700	344.0	250x200x400	200l/s @ 80m	Direct
Caterpillar	C11 ACERT	1700	252.0			Direct
Deutz	NA	NA	NA			Direct

